

# Edna May Operations Compliance Report

EPBC 2018/8213 24 January 2022 to 23 January 2023

Edna May Operations 22 Wolfram St Westonia WA 6423 Ph: (08) 9046 8000



### Distribution:

Department	Copies
Department of Climate Change, Energy, the Environment and Water	Submitted via email
Ramelius Resources	Website

<b>Document Status</b>	Authors	Date of issue	Review
Draft v0	C. Dart	29/03/2023	H. Chernoff, R. Wisbey
Final v1	C. Dart	20/04/2024	

### **Declaration of accuracy**

In making this declaration, I am aware that sections 490 and 491 of the Environment Protection and Biodiversity Conservation Act 1999 (Cth) (EPBC Act) make it an offence in certain circumstances to knowingly provide false or misleading information or documents. The offence is punishable on conviction by imprisonment or a fine, or both. I declare that all the information and documentation supporting this compliance report is true and correct in every particular. I am authorised to bind the approval holder to this declaration and that I have no knowledge of that authorisation being revoked at the time of making this declaration.

Full name (please print)

Position (please print)

Concus Manacon

Organisation

Parecros Resources, Cons May Consus

Date 26/4/23/



Page: 3 of 46

EMO

Environment

### **TABLE OF CONTENTS**

1.	APPROVED ACTION	6
1.1	I DETAILS	6
1.2	2 THE ACTION	6
1.3	B LOCATION OF PROJECT	6
1.4	REPORT PERIOD	6
2.	BACKGROUND INFORMATION	6
3.	CLEARING	8
3.1		
3.2	CARNABY'S BLACK COCKATOO FORAGING HABITAT	8
4.	VEGETATION CORRIDOR	13
5.	REHABILITATION AREAS	13
6.	REHABILITATION OFFSET	17
6.1	FARMLAND REVEGETATION	17
	<b>6.1.1</b> Lot 1578	17
	<b>6.1.2</b> Lot 161 and 162	20
6.2	REMNANT 15HA BLOCK OF RED MORREL (LOT 162)	26
6.3	B WESTONIA TOWN COMMON	27
7.	MONITORING AND COMPLETION CRITERIA	28
7.1		
7.2	2 LOT 1578 MONITORING	31
7.3	WARRACHUPPIN ROAD REHABILITATION	32
8.	WEED MANAGEMENT	32
9.	FAUNA MANAGEMENT	34
10.	RECORD KEEPING	34
11.	INSPECTIONS AND AUDITS	35
11	.1 INTERNAL	35
11	.2 EXTERNAL	35
12.	COMPLIANCE	36
12	.1 COMPLIANCE TABLE	36



Page: 4 of 46

	LINO	LIIVII OIIIIIEIIL
12.	2 NON COMPLIANCES	43
13.	NEW ENVIRONMENTAL RISKS	43
14.	FUTURE WORKS PLAN	43
15.	REFERENCES	44
16.	APPENDICES	45



Page: 5 of 46

EMO Environment

### **FIGURES**

Figure 1: Approved clearing area for the expansion of the Edna May Gold Project – Greenfinch Pit	9
Figure 2: Native Vegetation cleared to develop the Greenfinch Project. Total Area cleared = 11.5ha	
Figure 3: Approved clearing area of potential Carnaby's Black Cockatoo foraging Habitat (Eucalypt Woodlands o	
Australian Wheatbelt Threatened Ecological Community), 9.3ha, and 38 potential breeding trees	11
Figure 4: Carnaby's Black Cockatoo Foraging Habitat (Eucalypt woodland TEC) and Potential Breeding Trees C	leared during
the development of Greenfinch project	
Figure 5: Photo of Warrachuppin road rehabilitation December 2022	14
Figure 6: Vegetation Corridors	
Figure 7: Rehabilitation Areas – Planting and seeding of Warrachuppin road completed June 2022	
Figure 8: Greenfinch farm Paddock 1 (Northern Paddock) after topsoil was placed from the Clearing of the Green April 2020	
Figure 9: Photo of Greenfinch farm Paddock 1 (Northern Paddock), November 2022	
Figure 10: Photo of Lot 1578 southern paddock, November 2022	
Figure 11: Location of Farmland revegetation sites and the year they were established	
Figure 12: Seedlings growing at Chatfield's Tree Nursery for Offset Planting, taken 18th February 2020	22
Figure 13: Direct Seeding of Lot 162, May 2021, using the CommVeg Direct Seeder.	
Figure 14: Planting of Seedlings in Lot 162, June 2021, using the Chatfields Tree Planter	
Figure 15: Photo of Lot 162 rehabilitation, December 2022	
Figure 16: Seedling planted in the remnant 15ha block, July 2021. Picture taken February 2022	
Figure 17: Farmland Rehabilitation and Vegetation Monitoring Transect Locations (Botanica 2023)	
Figure 18: Weed Management completed during the 2022-2023 reporting period.	
TABLES	
Table 5-1: Species list of seedlings planted into Warrachuppin road in 2022	13
Table 6-1: Species list of seedlings planted in Lot 1578	
Table 6-2: Seedling order for the 2021 farmland revegetation project	
Table 6-3: Seed List for offset revegetation	
Table 6-4: Species list of seedlings planted in Lot 162, June 2022	
Table 6-5: Species list of seed sown into Lot 162, June 2022	
Table 7-1: Completion Criteria for Flora/Vegetation in the farmland revegetation	
Table 7-2: Completion Criteria Targets	29
Table 7-3: Assessment of Lot 162, transect 7-8, against completion criteria for 2022 monitoring (Botanica 2023)	)31
Table 7-4: Assessment of Lot 1578, transect 9-12, against completion criteria for 2022 monitoring (Botanica 202	23)31
Table 7-5: Assessment of Warrachuppin road, transect 13, against completion criteria for 2022 monitoring (Bo	otanica 2023)
Table 14-1: Local provenance seedlings ordered for infill planting of Offset Rehabilitation areas, winter 2023	43
Table 14-2: Species list of seed ordered for 2023 infill planting of offset rehabilitation areas	44
APPENDICES	
Appendix A: EPBC Act Proposal Approval Decision and Conditions – EPBC 2018/8213	



Page: 6 of 46

EMO Environment

### 1. APPROVED ACTION

### 1.1 DETAILS

EPBC Number	EPBC 2018/8213
Project Name	Edna May Gold Project Expansion – Greenfinch Pit, Western Australia
Approval Holder	Edna May Operations Pty Ltd
ACN/ABN	136 365 001

### 1.2 THE ACTION

Clearing of vegetation for the expansion of the existing Edna May Gold Project including the establishment of an open pit (the 'Greenfinch pit'), storage of non-reactive waste rock in an expanded North-North West waste rock landform, buttressing of an existing Tailings Storage Facility, development of a noise abandonment bund and construction of a haul road, site drainage works and storage of topsoil approximately 1 km north of Westonia, Western Australia.

The Action commenced on the 24th of January 2020.

### 1.3 LOCATION OF PROJECT

The Edna May Gold Project is located approximately one kilometre north of the town of Westonia in the Shire of Westonia, Western Australia.

### 1.4 REPORT PERIOD

Edna May Operations Pty Ltd (EMO) is required to prepare an Annual Compliance Report (ACR) for each 12month period following the date of commencement. The report is to be published on the Ramelius Resources Ltd website within 60 business following the reporting period.

This ACR covers the reporting period 24<sup>th</sup> January 2022 to the 23<sup>rd</sup> of January 2023.

### 2. BACKGROUND INFORMATION

Edna May Operations Pty Ltd (EMO), a wholly owned subsidiary of Ramelius Resources Ltd, operates the Edna May Gold Project which is a medium-sized, gold mining operation that consists of a conventional open cut pit, underground, and a carbon-in-leach (CIL) processing plant.

This compliance report is a condition of the approval for the Edna May Gold Project expansion under the EPBC Act. The document seeks to provide a description of activities undertaken during the reporting period and document EMO's compliance with the conditions of the approval document.

The project was approved for the development of the Greenfinch pit which included the clearing of up to 16.6 hectares of native vegetation. The project was assessed under the EPBC Act due to the potential threat to EPBC Act-listed species and ecological communities. This included the Carnaby's Black Cockatoo (Endangered), the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community (Critically endangered) and *Eremophila resinosa Resinous Eremophila* (Endangered).



Page: 7 of 46

EMO Environment

EMO has applied the mitigation hierarchy of controls (avoid, minimise, rehabilitate) to address impacts of the Action on these Threatened Ecological Communities (TEC) and remnant native vegetation.

### Avoid

The footprint of the Greenfinch Project was designed to avoid disturbance to known records of Threatened Flora *E. resinosa* (records from 1904 to 2018), the Westonia Common (remnant vegetation/biological diversity and fauna habitat) and TEC where possible by using existing infrastructure of the Edna May gold mine and concentrating developments in areas of existing disturbance.

### **Minimise**

The footprint of the Greenfinch Project was minimised to only clear up to 16.6 ha of native vegetation and designed to abut existing disturbances, to prevent fragmentation by maintaining habitat corridors, minimise potential impacts to the TEC/ Westonia Common from edge effect and minimise the clearing of potential Threatened Flora habitat and fauna habitat.

### Rehabilitate

Existing rehabilitation trials conducted for the EMO have shown promise for successful establishment of native TEC vegetation. Future rehabilitation proposed will be specifically conducted to reinstate Red morrel (*Eucalyptus longicornis*) Woodlands, which will provide potential *E. resinosa* habitat, increase habitat connectivity/ widen vegetation corridors and improve the condition of remnant Red morrel vegetation.

To compensate for the unavoidable impacts of removing up to 16.6ha of native vegetation, an Offset Plan was developed and approved.

The Offsets for the Action include:

- Revegetation of 75ha of ex-farmland including a 60ha area immediately north of the Edna May mine site and directly north of the Westonia Common (Lots 161 and 162) and 15ha of ex-farmland located directly south of Edna May mine site which will provide additional fauna habitat corridor for the Westonia Common (Lot 1578).
- Protection, management and improvement (interplanting, weed control) of a remnant 15ha block of Red morrel on Lot 162.
- Placement of a conservation covenant over revegetated parts of Lots 161, 162 and 1578 (subject to government approval).
- provide \$10,000 per year for two years from the commencement of the action (indexed to the National Consumer Price Index value in 2019) to the Shire of Westonia for the purpose of funding activities in the Westonia Common Management Plan 2016-2020 and subsequent versions.



Page: 8 of 46

EMO Environment

### 3. CLEARING

Native vegetation was cleared to develop the Greenfinch project at the Edna May Gold Project. The EBPC Act approval allows EMO to clear up to 16.6ha of native vegetation (Figure 1). This area includes up to 9.3ha of Eucalypt Woodlands of the Western Australian Wheatbelt TEC, up to 9.3ha of foraging habitat and no more than 38 potential breeding trees for the Carnaby's Black Cockatoo (Figure 3).

Clearing on the project was managed as per EMO Clearing and Ground Disturbance Procedure and the Greenfinch Project Implementation Compliance Procedure. These documents are in place to ensure compliance with EPBC Act Approval EPBC 2018/8213, Clearing Permit CPS8550/1, and Mining Proposal RegID 73855. It is a requirement that all personnel working on the Greenfinch Project be trained in these procedures and sign-off on their understanding of requirements, competency and acknowledging their responsibilities.

EMO commenced clearing of the Project area on the 24<sup>th</sup> of January 2020. A total of 11.5 ha of native vegetation was cleared for the purpose of developing the Greenfinch project. The area cleared was for the diversion of the Warrachuppin road, the Greenfinch open cut pit, safety bund and access track, extension of the noise bund and for construction of the abandonment bund. No clearing was undertaken during the reporting period.

All clearing occurred within the approved areas stated in the EPBC Act Approval EPBC 2018/8213 and Clearing Permit CPS8550. EMO minimised clearing within the approved footprint where practicable.

An amendment to the project design resulted in a reduced the total project footprint from planned 16.6ha to 11.5ha. Clearing for the extension of the Corsini Flood bund to the south of the Corsini WRL has not yet been undertaken.

### 3.1 EUCALYPT WOODLAND

The project requires clearing of the Critically Endangered Eucalypt Woodlands of the Western Australian Wheatbelt (*E. Longicornis* and *E. salubris* woodland). Approval was granted to clear up to 9.3ha of Eucalypt Woodlands of the Western Australian Wheatbelt TEC.

No clearing was completed during the reporting period. A total of 7.556 ha of Eucalypt Woodlands of the Western Australian Wheatbelt TEC (Figure 4) has been cleared as per the approval.

### 3.2 CARNABY'S BLACK COCKATOO FORAGING HABITAT

The Greenfinch Project area required clearing of potential Carnaby's Black Cockatoo foraging habitat and potential breeding trees. The potential foraging habitat in this project is considered the Eucalypt Woodlands of the Western Australian Wheatbelt TEC. Although not observed during field surveys the Carnaby's Black Cockatoo has been documented to feed on Salmon gum (*Eucalyptus salmonophloia*) which is found in the Woodlands (Harewood 2018). There were no recorded sightings during the reporting period.

A fauna survey was undertaken before the project commenced to identify potential nesting trees for the Carnaby's Black Cockatoo. The survey identified trees in the project expansion area which included live and dead trees of Gimlet, Red morrel, Salmon gum that may potentially be suitable for nesting.

No clearing was undertaken during the reporting period. EMO have cleared 7.556 ha of Eucalypt woodland and 14 trees that were identified as potential nesting trees (Figure 4) as per the approval.



Page: 9 of 46

20/04/2023



Figure 1: Approved clearing area for the expansion of the Edna May Gold Project – Greenfinch Pit



Page: 10 of 46




Figure 2: Native Vegetation cleared to develop the Greenfinch Project. Total Area cleared = 11.5ha



Page: 11 of 46




Figure 3: Approved clearing area of potential Carnaby's Black Cockatoo foraging Habitat (Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community), 9.3ha, and 38 potential breeding trees



Page: 12 of 46




Figure 4: Carnaby's Black Cockatoo Foraging Habitat (Eucalypt woodland TEC) and Potential Breeding Trees Cleared during the development of Greenfinch project



Page: 13 of 46

EMO Environment

### 4. VEGETATION CORRIDOR

The Greenfinch project was designed so that the footprint required minimal clearing and maintained and enhanced the connectivity between the east and west remnant woodland blocks of the Westonia Common to avoid habitat fragmentation.

To maximise the corridors EMO amended the proposal so that:

- i) a minimum 50m wide vegetation corridor between the abandonment bund and the diverted road to the south was retained to facilitate fauna movement; and
- ii) further maximise the corridor connectivity to the south of the mine by not clearing any vegetation between the pit and the abandonment bund so that an additional approximately 40 m wide vegetation corridor is retained to facilitate fauna movement and reduce the area of TEC vegetation clearing.

EMO has maintained the "50m wide corridor" which at its minimum is approximately 50.86m wide. No clearing has occurred between the pit boundary and the abandonment bund and the 40m distance has been maintained. This distance does narrow out to extinction to the southeast as designed where the abandonment bund joined the existing Noise bund (Figure 5).

### 5. REHABILITATION AREAS

Areas disturbed within the project which are no longer required for the operation and will not be permanent disturbance features are rehabilitated as soon as possible. There are two features which were required as per the EPBC approval conditions to be rehabilitated within 12 months of completion of the abandonment bund. These were the original Warrachuppin road, which was diverted, and a haulage track to the north of the pit used to construct an abandonment bund. The total proposed rehabilitation as per the approval was 1.9ha.

The actual area to be rehabilitated is smaller as the haul road was not required and the area not cleared. The total disturbance from the Warrachuppin road to be rehabilitated is approximately 1.06ha.

Rehabilitation earthworks commenced in 2021 which consisted of removing the bitumen road surface and ripping the road base. During this reporting period, June 2022, EMO seeded and planted seedlings on the site. Seed was sown using a commveg seeder with seedlings planted in the rows using the pottiputki. A species list can be found in Table 5-1 and Table 6-3.

Table 5-1: Species list of seedlings planted into Warrachuppin road in 2022

Genus	Species
Eucalyptus	longicornis
Eucalyptus	salubris
Eucalyptus	salmonophloia
Eucalyptus	yilgarnensis
Eucalyptus	loxopheba
Melaleuca	pauperiflora. ssp fastigiata
Melaleuca	eleuterostachya
Melaleuca	lateriflora

A Vegetation monitoring plot was established in November 2022 to track the progress of the site to achieving completion criteria. The criteria for successful rehabilitation is to establish a self-sustaining



Page: 14 of 46

EMO Environment

and fully functioning, Eucalypt Woodlands of the Western Australian Wheatbelt TEC which integrates into the surrounding woodland. Rehabilitating these areas will minimise impacts on the existing woodland by reducing threats associated with fragmentation and the edge affect.



Figure 5: Photo of Warrachuppin road rehabilitation December 2022.



Page: 15 of 46

EMO Environment



Annual Compliance Report, Edna May Operations, EPBC 2018/8213 **Vegetation Corridors** 




Figure 6: Vegetation Corridors



Page: 16 of 46




Figure 7: Rehabilitation Areas – Planting and seeding of Warrachuppin road completed June 2022



Page: 17 of 46

EMO Environment

### 6. REHABILITATION OFFSET

### 6.1 FARMLAND REVEGETATION

A condition of the clearing approval granted for the Greenfinch project is that 75 ha of ex-farmland (Lot 1578, Lot 161 and Lot 162) will be rehabilitated with Red morrel woodland TEC species. In addition to this a degraded 15 ha remnant at the north-east corner of the Lot 162 will be improved with the additional planting as required.

The Offset Rehabilitation Plan for the EMO Offset area has been developed to enable EMO to continue the high standard of annual woodland rehabilitation activities on ex-farmland that commenced in 2015. The purposes of the Rehabilitation Plan are to:

- ensure that annual planning and budgeting of ex-farmland rehabilitation continues to be integrated into the mine planning and operational activities;
- provide technical information and procedures on the rehabilitation of ex-farmland; and
- demonstrate to Government regulators that EMO follows a well-understood process based on monitoring results from trials and research that maximises the success rate of woodland rehabilitation.

Implementation of this Offset Rehabilitation Plan will maintain the linkage between the eastern and western natural vegetation blocks of the Westonia Common to avoid fragmentation, widen biodiversity corridor plantings already implemented on ex-farmland on Lots 161 and 162, and maintain and improve the biological diversity and ecological integrity of flora and vegetation protected under the EPBC Act (*E. resinosa* and the TEC woodland).

### 6.1.1 Lot 1578

The revegetation of 13.65 ha of ex farmland on lot 1578, known as Greenfinch Farm, commenced in early 2020. The site is split into two paddocks by Stoneman Road which is a public road intersecting the site.

Site preparation activities on northern paddock included the removal of internal fencing and clean-up of historical scrap and wire from various areas of the site. The agricultural land was then ploughed as a form of weed control and to level the surface. Topsoil from the Greenfinch pit was windrowed in situ by dozer and then transported and applied to the site by tipper truck. Once application was complete the fresh topsoil was shaped by a grader forming 6 m-wide bands of topsoil with 3 m-wide tracks between for vehicle access to allow for future weed management activities (Figure 8).



Page: 18 of 46

EMO Environment



**Figure 8:** Greenfinch farm Paddock 1 (Northern Paddock) after topsoil was placed from the Clearing of the Greenfinch project, April 2020



Figure 9: Photo of Greenfinch farm Paddock 1 (Northern Paddock), November 2022

Site preparation for the southern paddock consisted of herbicide weed control, followed by ploughing several weeks later as a form of effective weed control and to level the surface.



Page: 19 of 46

EMO Environment

Seedlings of woodland species were grown by Chatfield's Tree Nursery from local provenance seed (Table 6-1). The seed was collected in December 2019 from the vegetation areas which were to be cleared to make way for the Greenfinch pit and realignment of Warrachuppin Road and from the surrounding woodland area. A total of 17,437 local provenance seedlings were planted into Lot1578 in 2020. In the northern paddock 6,300 seedlings were hand planted using a potti-putki into rows preprepared by the Chatfields Tree planter. In the southern paddock 11,137 seedling were planted using the Chatfields Tree planter.



Figure 10: Photo of Lot 1578 southern paddock, November 2022

**Table 6-1:** Species list of seedlings planted in Lot 1578

Acacia aestivalis	Eucalyptus longicornis	Eremophilla decipiens
Acacia acuminata	Eucalyptus loxophleba subsp. lissophloia	Melaleuca pauperiflora
Acacia erinacea	Eucalyptus salmonophloia	Pittosporum angustifolium
Acacia hemiteles	Eucalyptus yilgarnensis	Senna artemesioides
Acacia deficiens	Eucalyptus salubris	Solanum orbiculatum
Acacia merrallii		Templetonia sulcata

As vegetation becomes established it will improve connectivity of the remnant vegetation of the surrounding Westonia Common, which is primarily a Red morrel woodland TEC. Vegetation Transects have been established in both the paddocks to monitor progress. Further detail in Section 7.

Management of the site this year included weed spraying and maintenance of firebreaks around both sites. At the northern site the tracks between the topsoil piles was sprayed using glyphosate in preparation for infill planting planned for June 2023.



Page: 20 of 46

EMO Environment

### 6.1.2 Lot 161 and 162

During planning of the 2021 revegetation works it was decided to change the shape of the revegetation area on Lot 161 & Lot 162 to account for possible expansion of mining landforms. The revegetation area was amended to move it further away from the current mining operation to account for any future expansion of the Waste Rock Landforms or an additional Tailings Storage Facility (TSF) if required.

The revegetation areas were removed from north of the TSF and concentrated to the North east corner of Lot 162. This new shape increases the width of vegetation near the 15ha of remnant native vegetation, north east corner of the block, which EMO have committed to improve as part of the offset.

The amended location retains the main goals and merits of the rehabilitation plan which were:

- maintaining the linkage between the eastern and western natural vegetation blocks of the Westonia Common and to avoid fragmentation; and
- maintaining and improving the biological diversity and ecological integrity of flora and vegetation protected under the EPBC Act (namely, Eremophila resinosa and the TEC woodland).

These changes were raised initially in the 2021 Annual compliance report and EMO have also informed DMIRS of the changes in 2021.



Page: 21 of 46




Figure 11: Location of Farmland revegetation sites and the year they were established



Page: 22 of 46

EMO Environment

A Native plant Agronomist was engaged to organise and plan the works. Restoration of the farmland included a mix of direct seeding and planting. Species mix and planting densities were determined using information from the analogue flora surveys completed by Botanica (2018), and the consultant's onsite experience.

Collected and purchased seed was supplied to a local Tammin-based business, Chatfield's Tree Nursery, in October 2020. The seedling order of 34,800 for the 62ha consists of a mix of *Eucalyptus* and *Melaleuca* species, and other plants that are difficult to establish from direct seed (Table 6-2).

Table 6-2: Seedling order for the 2021 farmland revegetation project

Genus	Species	Seedlings
Eucalyptus	longicornis	8,000
Eucalyptus	salubris	6,000
Eucalyptus	salmonophloia	2,000
Eucalyptus	yilgarnensis	6,000
Melaleuca	pauperiflora. ssp fastigiata	8,000
Melaleuca	eleuterostachya	1,000
Melaleuca	uncinata	1,000
Eucalyptus	loxopheba	1,000
Calothamnus	gilesii	1,200
Pittosporum	angustifolium	600
	Total	34,800



**Figure 12:** Seedlings growing at Chatfield's Tree Nursery for Offset Planting, taken 18th February 2020 In addition, seed was applied at a rate of 1.5kg per hectare to the paddocks. The seed required for the project (seed list in Table 2) was treated accordingly prior to application.



Page: 23 of 46

EMO

**Environment** 

Table 6-3: Seed List for offset revegetation

Genus	Species	Genus	Species
Acacia	acuminata (narrow)	Eucalyptus	longicornis
Acacia	aestivalis	Eucalyptus	salubris
Acacia	colletioides	Eucalyptus	yilgarnensis
Acacia	hemiteles	Grevillea	paradoxa
Acacia	lasiocalyx	Hakea	preissii
Acacia	longispinea	Hakea	recurva
Acacia	merallii	Hibbertia	exasperata
Acacia	microbotrya	Maireana	carnosa
Acacia	murrayana	Maireana	tomentosa
Acacia	prainii	Maireana	triptera
Acacia	ramulosa	Melaleuca	pauperiflora. ssp fastigiata
Acacia	steedmanii	Olearia	muelleri
Acacia	yorkrakinensis ssp acrita	Pittosporum	angustifolium
Acacia	coolgardiensis	Ptilotus	drummondii
Acacia	erinacea	Ptilotus	exaltatus (nobilis)
Acacia	tetragonophylla	Ptilotus	holosericeus
Allocasuarina	huegeliana	Santalum	acuminatum
Calothamnus	gilesii	Santalum	spicatum
Dianella	revoluta	Senna	artemesioides ssp filifolia
Enchlylaena	lanata	Senna	pleurocarpa var pleurocarpa
Eremophila	decipiens	Solanum	orbiculatum
Eremophila	resinosa	Templetonia	sulcata
Eriochyton	sclerolaenoides	Vittadinia	gracilis

Rehabilitation of the 62.280 ha on Lot 162 commenced in 2021. To prepare the site prior to planting a weed spray and pest spray were completed. This included a glyphosate spray in April and then just before planting, in May, the area was sprayed with glyphosate and Bifenthrin (pest spray).

Direct seeding of the site commenced in late May 2021 utilising a CommVeg Direct Seeder. This machine is pulled along by a tractor and scalp, rip and sows in one pass. Room was left between each of the seeding rows for either access, seedling row, or *Eremophila Resinosa* direct seeding row. The seedlings were planted in June 2021 using the Chatfields Tree Planter. In July 2021, *Eremophila Resinosa* seed was planted using the Commveg direct seeder. At this time any remaining seedlings were planted using pottiputki in some of the seeded rows. Pest spray and selective herbicide sprays were applied in some of the seeded rows.

A selective broad leaf and grass herbicides were applied to the area in September. In November the site was sprayed with Fipronil to stop any grasshoppers feeding on the emergent natives.

Vegetation monitoring plots were established in the site in Spring 2021 to monitor the progress of the site.



Page: 24 of 46



Figure 13: Direct Seeding of Lot 162, May 2021, using the CommVeg Direct Seeder.



Figure 14: Planting of Seedlings in Lot 162, June 2021, using the Chatfields Tree Planter



Page: 25 of 46

EMO Environment

During the reporting period, 8<sup>th</sup> to 10<sup>th</sup> June 2022, infill planting and seeding was completed in the southern 5ha section of the rehabilitation site (Table 6-4 & Table 6-5). A mix of acacia species was sown in between existing rows and supplemented with seedlings that were ordered for mine site rehabilitation which has been delayed to the following year.

Table 6-4: Species list of seedlings planted in Lot 162, June 2022

Genus	Species
Eucalyptus	longicornis
Eucalyptus	salubris
Eucalyptus	salmonophloia
Eucalyptus	yilgarnensis
Eucalyptus	loxopheba
Melaleuca	pauperiflora. ssp fastigiata
Melaleuca	eleuterostachya
Melaleuca	lateriflora

Table 6-5: Species list of seed sown into Lot 162, June 2022

Genus	Species
Acacia	hemiteles
Acacia	microbotrya
Acacia	aestivalis
Acacia	merralli

Further Infill rehabilitation has been planned where required for the remainder of the site in winter of 2023. To prepare for this planting the access rows had been sprayed with glyphosate.

Weed management during the period included spraying of the firebreaks and application of a grass selective herbicide across the whole site in July 2022. A pest spray was completed on the infill planting section in October 2022.



Page: 26 of 46

EMO Environment



Figure 15: Photo of Lot 162 rehabilitation, December 2022

### 6.2 REMNANT 15HA BLOCK OF RED MORREL (LOT 162)

A requirement of the Offset Plan is the protection, management and improvement (interplanting, weed control) of a remnant 15ha block of Red Morrel on Lot 161. On July 2021, EMO planted out some of the bare areas within the block. This was completed by plantings seedlings with a potti-putki in rows prepared by the Chatfields tree planter.

Further infill planting may occur on the site in the winter of 2023 where required.



Page: 27 of 46

EMO Environment



Figure 16: Seedling planted in the remnant 15ha block, July 2021. Picture taken February 2022

### 6.3 WESTONIA TOWN COMMON

The Westonia Town Common is made up of 15 remnant vegetation reserves that surround the Town of Westonia and is located next to the EMO Greenfinch Project. It covers approximately 2,500 ha and is it an important reserve as it contains a large area of Eucalypt Woodlands of the Western Australian Wheatbelt TEC. A conservation management plan (CMP), Westonia Common Conservation Management Plan 2016-2021, has been developed to protect the reserve from threats including feral animals and weeds and preserve the site for the future (Eco Logical Australia 2016).

To assist the Shire of Westonia implement and achieve the objectives of the CMP, EMO provided \$10,000 per year for two years from the start of the Greenfinch project. The first of these annual payments was made to the Shire of Westonia in July 2020 and the second payment was made in July 2021.



Page: 28 of 46

EMO Environment

### 7. MONITORING AND COMPLETION CRITERIA

The farmland revegetation areas surrounding the mining project are monitored annually to assess their performance against completion criteria (Table 7-1 and Table 7-2). Analogue sites of remnant Eucalypt woodland vegetation are used as a benchmark. Monitoring is conducted on species richness, species diversity, plant density, vegetation cover, relative weed cover and presence of significant weeds.

Annual monitoring took place in November 2022 and included new transects which were installed on the Warrachuppin road rehabilitation area (Figure 17). The survey was completed by Botanica Consulting (2023) and the full report can be found in Appendix B.

Table 7-1: Completion Criteria for Flora/Vegetation in the farmland revegetation

Aspect	Closure Objectives	Closure Indicators	Completion Criteria	Management/ Measurement Approach
Flora/ Vegetation	Revegetation of disturbed areas are the best achievable with available rehabilitation resources and are rehabilitated using local provenance species to reflect the surrounding Westonia Common	Vegetation comprised of local provenance species in a self- sustaining and resilient community comparative to natural landscape	Vegetation cover (total percentage cover of live vegetation) and species density (total no. perennial plants) levels ≥50% of the mean value from the analogue sites in the target ecosystem¹.  Species diversity (total no. perennial species) levels ≥50% of the mean value from the analogue sites in the target ecosystem	Landscape/Vegetation monitoring on rehabilitated landforms and target ecosystems in Spring to measure biodiversity. Reporting of monitoring results annually in AER
		Weed species not impacting upon the recruitment and growth of indigenous flora	Percentage cover of weeds of National Significance (listed by DotEE) or Declared Plants (listed by DPIRD) on rehabilitated landforms no greater than 0% <sup>2</sup> .	Weed monitoring during landscape/vegetation monitoring and/or WRL assessments. Management of weeds as per Weed Management Plan

<sup>&</sup>lt;sup>1</sup> Completion criteria based on the minimum biodiversity and landscape function (critical threshold as described by Tongway & Hindley (2003) based on three successive years of monitoring data) at which a landform is self-sustaining (Beyond the critical threshold, the ecosystem becomes increasingly more self-sustaining and able to survive stress and disturbance, both natural and human induced the ecosystem becomes increasingly more self-sustaining and able to survive stress and disturbance, both natural and human induced (Tongway, & Hindley 2003). Will be compared against analogue site/s to ensure target biodiversity values are representative of the natural environment and consistent with the Westonia Common. Rehabilitation will be conducted using best practices for the site and will aim to achieve higher values than the minimum targets/ threshold specified.

<sup>&</sup>lt;sup>2</sup> Completion criteria targets for weed coverage better than those that are based on published literature which suggests that weed cover (non-naturalised weeds) exceeding 40% impedes native vegetation growth. The target has been set at lower threshold to ensure weeds identified/ managed before native vegetation impacts occur



Page: 29 of 46

EMO

Environment

### Table 7-2: Completion Criteria Targets

Completion Criteria	Completion Criteria Target
Species Diversity (400 m²)	>80% of the analogue mean
Plant Density (plants/ha)	50% of the analogue mean
Vegetation Cover (%)	50% of the analogue mean
Relative Weed Cover (%)	<20% of the analogue mean
Weeds of National Environmental Significance (%)	<0%
Declared Plants (%)	<0%



Page: 30 of 46




Figure 17: Farmland Rehabilitation and Vegetation Monitoring Transect Locations (Botanica 2023)



Page: 31 of 46

EMO Environment

### 7.1 LOT 162 MONITORING

At Lot 162 there are two transects which were installed in 2021, T7 & T8. Results against completion criteria are presented in Table 7-3. All measures rated poorly, and weed presence was high, however no WoNS or declared plants were recorded (Botanica 2023).

Infill planting has been organised for winter 2023. It is expected that once the vegetation cover increases over time the weed cover will reduce. Selective herbicide spraying will be undertaken where possible to control weeds and encourage native vegetation cover and growth.

Table 7-3: Assessment of Lot 162, transect 7-8, against completion criteria for 2022 monitoring (Botanica 2023)

	Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
=	1.5	4	33	0	0%	0%
Т7	0.1	2	1	99	0	0
Т8	0.1	2	1	99	0	0

### 7.2 LOT 1578 MONITORING

At Lot 1578 there are two transects installed in the northern paddock, T9 & T10, and two transects in the southern paddock, T11 & T12. A total of 20 taxa were recorded within the transects, 10 of these were native plants, and ten weed species were present. Species richness had decreased slightly from previous years and plant density had increased slightly. Vegetation cover has increased since previous years, and so too has weed cover. T9 and T10 met the completion criteria target for plant density (m²) and species richness (25m²). All sites met the completion criteria targets for not having any WoNS or declared plants present (Table 7-4). Relative weed cover rated poorly for all sites. Ward's weed (Carrichtera annua) was a weed that was present at all sites. Iceplant (Mesembryanthemum crystallinum) was dominant at sites T9 and T10. Bearded oat (Avena barbata) was dominant at T11 (Botanica 2023).

Table 7-4: Assessment of Lot 1578, transect 9-12, against completion criteria for 2022 monitoring (Botanica 2023)

	Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
=	1.5	4	33	0	0%	0%
Т9	2.6	7	24	59.7	0	0
T10	2.0	7	19.5	64.9	0	0
T11	0.4	2	20.5	82.1	0	0
T12	0.2	2	5	92.2	0	0



Page: 32 of 46

EMO Environment

### 7.3 WARRACHUPPIN ROAD REHABILITATION

Transects at this site were established in November 2022. This is the first year of monitoring. Rehabilitation is progressing well considering the rehabilitation was less than six months old at the time of the survey. The site met the criteria for plant density and weed presence was low (Botanica 2023)

**Table 7-5:** Assessment of Warrachuppin road, transect 13, against completion criteria for 2022 monitoring (Botanica 2023)

	Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
=	1.5	4	33	0	0%	0%
T13	3.0	3	5	1.92	0	0

### 8. WEED MANAGEMENT

Weed management is undertaken at the Edna May Project to minimise the adverse impacts from weeds on the environment including local fauna and flora communities. EMO has a Flora Management Plan and Fauna Management plan which provides a management framework for the implementation, monitoring and review of actions which specifically aims to:

- Maintain the abundance, diversity, geographic distribution and productivity of terrestrial flora at species and ecosystem levels.
- Protect and minimise impact to DRF and Priority Flora located within the Edna May Operations leases.
- Disturb land only within approved clearing envelopes.
- Ensure that land rehabilitation is implemented progressively.

Note that the Weed and Vertebrate Pest Management Plan which was previously referenced has been retired in 2023 and details and management actions have been incorporated into the Flora Management Plan and Fauna Management Plan.

Activities completed during the reporting period have included:

- Inspections of Mining and surrounding areas for the presence of weeds.
- Specific weed control activities to control populations of Ruby dock (*Acetosa vesicaria*) and Skeleton weed (*Chondrilla juncea*).
- Mapping of significant weed populations in GIS (Figure 18).
- Reporting of Skeleton weed monitoring and control to DPIRD.
- Inspection of earthmoving equipment to ensure they are clean and free of soil material before entering site and undertaking clearing activities.
- Control of weeds and grasses in Offset Rehabilitation areas to ensure successful revegetation to Eucalypt woodland



Page: 33 of 46

EMO Environment



### Edna May Operations

### Weed Control 2022-2023 Reporting Period



Figure 18: Weed Management completed during the 2022-2023 reporting period.



Page: 34 of 46

EMO Environment

### 9. FAUNA MANAGEMENT

To protect native fauna and control feral animals at the project EMO have continued to implement their Fauna Management Plan. The objectives of the management plan are to:

- Maintain the abundance, diversity, geographic distribution and productivity of fauna at species and ecosystem levels.
- Minimise impacts to fauna habitats.
- Adopt practices aimed at minimising impacts on fauna, including controlling the extent of open excavations; regularly checking areas where animals could become trapped; actively managing features such as water storages, domestic waste storages, processing water storage, tailings supernatant pond and lighting which may attract fauna.
- Disturb land only within approved clearing envelopes.
- Ensure that land rehabilitation is implemented progressively.

Actions implemented during the reporting period to Manage Fauna onsite have included:

- Adhering to all clearing and ground disturbance permits by following all internal related procedures.
- Recording sightings of any species of conservation significance and feral animals on the mining lease.
- Relocation of snakes and reptiles from work areas by trained personnel.
- Injured fauna or deaths have been reported to the Environment department and treated as appropriate.
- Ensuring landfill waste is regularly covered to prevent attracting feral fauna.
- Managing and monitoring dust onsite.
- Monitoring levels of cyanide (CN) in the TSF decant and recording fauna sightings in the TSF.
- Regularly monitoring sumps and water storage dams to ensure adequate egress points are in place and there is no trapped fauna.

### 10. RECORD KEEPING

EMO maintains accurate records of all monitoring, inspections, and other environmental management activities that occur on site. EMO utilises the INX InControl management system to store and manage all records, inspections, hazards and incidents. Environmental monitoring data that is collected is uploaded to MonitorPro database for safe storage and to ensure compliance. All other records are maintained and backed up on the site servers. EMO can provide records including spatial data to the department for audits if requested.



Page: 35 of 46

EMO Environment

### 11. INSPECTIONS AND AUDITS

### 11.1 INTERNAL

A coordinated internal inspection programme is completed by Environmental Department personnel with assistance from operational personnel. Key operational areas of the site are inspected for compliance with licence requirements such as clearing and waste management. Inspection documentation is recorded along with supporting photos. Inspections are scheduled on a weekly, monthly or quarterly basis dependent on the area and regulatory requirements. A monitoring schedule is completed for each calendar year so that all activities can be captured.

### 11.2 EXTERNAL

External independent audits may be required to ensure that EMO is within compliance of all the conditions of the approval. No external audits have been completed nor requested during the reporting period.

An independent review is required five years from the commencement of the rehabilitation activities and the audits are due to be completed in 2025, 2030 and 2035. The purpose of the reviews will be to determine if the performance indicators and completion criteria as described in the Rehabilitation Offset Plan have been met.

To verify that rehabilitation areas have reached completion criteria, comprise self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt TEC, an audit report is to be completed by and independent and suitably qualified expert. This audit is to be completed 20 years from the commencement of rehabilitation activities and will be due to be completed in 2041.



Page: 36 of 46

EMO Environment

### 12. COMPLIANCE

### **12.1** COMPLIANCE TABLE

Number	Condition	Compliance	Comments		
Part A – Conditions specific to the action					
1	To minimise impacts to EPBC Act listed species and ecological communities, the approval holder must not clear more than 16.6 hectares of native vegetation within the Clearing Permit Area. Within the Clearing Permit Area the approval holder must not clear more than the following:	Compliant	EMO has cleared a total of 11.5 ha of the native vegetation within the clearing permit. No clearing was completed during the reporting period.  For more information refer to Section 3		
1a	9.3 ha of Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community; and	Compliant	EMO has cleared a total of 7.556 ha of the Eucalypt Woodlands within the clearing permit area. No clearing was completed during the reporting period.  For more information refer to Section 3		
1b	9.3 ha of foraging habitat and no more than 38 potential breeding trees for the Carnaby's Black Cockatoo.	Compliant	EMO has cleared a total of 7.556 ha of foraging habitat for the Carnaby's Black Cockatoo within the clearing permit area. EMO has cleared 14 potential breeding trees for the Carnaby's Black Cockatoo within the clearing permit area.  No clearing was completed during the reporting period.  For more information refer to Section 3.		
2	To minimise the impacts of fragmentation on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, the approval holder must retain and maintain the two corridors of native vegetation shown as '40m wide corridor' and '50m wide corridor' in Attachment A. The approval holder must maintain these corridors as self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, integrated with Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community in the surrounding ecosystem. The '40m wide corridor' must be maintained so as to be at least 40 metres wide at its narrowest point for the life of the approval. The '50m wide corridor' must be maintained so as to be at least 50 metres wide at its narrowest point for the life of the approval.	Compliant	EMO has retained and maintained the two corridors of native vegetation shown as '40m wide corridor' and '50m wide corridor' in Attachment A.  The Width of the corridors exceeds the narrowest widths of 40m and 50m.  For more information refer to Section 4.		



Page: 37 of 46

Number	Condition	Compliance	Comments
3	To minimise the impacts of clearing, fragmentation and edge effects on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community and foraging habitat and potential breeding trees for the Carnaby's Black Cockatoo, the approval holder must rehabilitate at least 1.9 hectares identified as 'Rehabilitation Areas (1.9ha)' in Attachment C. The rehabilitation must establish and maintain self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community in the Rehabilitation Areas, integrated with the surrounding Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community within ten years of the commencement of rehabilitation activities. In order to meet this objective, the approval holder must:	Compliant	EMO commenced rehabilitation activities of the area identified as 'Rehabilitation Areas (1.9ha)' in July 2021.  The total 'Rehabilitation Areas' will be smaller than 1.9ha as EMO has managed to develop the project within a smaller disturbance than that which was approved. An access road to construct the abandonment bund to the west of the pit was not required.  The total area of rehabilitation to complete is 1.06 ha.  EMO has ripped the road in 2021 and sown local provenance seed and planted seedlings in June 2022.
3a	Rehabilitate the Rehabilitation Areas using species representative of the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community;	Compliant	EMO planted the area in June 2022. Seedlings and seed, representative of the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, were used.
3b	Commence rehabilitation activities in all Rehabilitation Areas within twelve months of the completion of construction of the abandonment bund;	Compliant	Construction of the west and south section of the abandonment bund was completed in December 2020. EMO commenced rehabilitation activities in July 2021.
3c	Implement sufficient monitoring and management of the Rehabilitation Areas to a standard that will ensure that the objective of condition 3 is met within ten years of the commencement of rehabilitation activities;	Compliant	EMO commenced rehabilitation activities in 2021 and the area planted in 2022. Vegetation monitoring plots were installed in November 2022. Annual monitoring will be completed, and a report prepared by a
3d	Provide, within eleven years from the commencement of rehabilitation activities, a report prepared by an independent and suitably qualified expert verifying that the rehabilitation areas comprise self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community; and	Not Applicable	qualified consultant. For details on this year's monitoring refer to Section 7.3
3e	Continue the same standard of monitoring and management of the Rehabilitation Areas until the Department advises in writing that it has reviewed and accepts the report of the independent and suitably qualified expert.	Not Applicable	
4	To minimise the impacts of weeds on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community,	Compliant	EMO has implemented the "Weed and Vertebrate Pest Management Plan" during the reporting period.



Page: 38 of 46

Number	Condition	Compliance	Comments
Wanibel	foraging habitat and potential breeding trees for the Carnaby's Black Cockatoo, the approval holder must implement the Weed and Vertebrate Pest Management Plan from the commencement of the action for the life of the approval.	Сотрпансе	Note that the Weed and Vertebrate Pest Management Plan which was previously referenced has been retired in March 2023 and details and management actions have been incorporated into the Flora Management Plan and Fauna Management Plan. For more information on management activities and compliance with the "Weed and Vertebrate Pest Management Plan" strategies refer to Section 8.
5	To minimise the impacts of predation by feral animals on the Carnaby's Black Cockatoo, the approval holder must implement the Fauna Management Plan from the commencement of the action for the life of the approval.	Compliant	EMO has implemented the "Fauna Management Plan" during the reporting period. For more information on management activities and compliance with the "Fauna Management Plan" strategies refer to Section 9.
6a	To compensate for the residual significant impact on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, the approval holder must:  Rehabilitate, to establish and maintain self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheat belt Threatened Ecological Community on 70 ha comprising the portions of Lots 161 and 162 shaded in dark blue in Attachment D;	Compliant	EMO Rehabilitated 62.280 ha of farmland and began improvements on 15ha remnant block of Red morrel in 2021 within Lot 162.  The farmland rehabilitation area does not match that highlighted in dark blue in Attachment D of the approval. See section 6.1.2 for more detail.  For more information on planning and schedule of rehabilitation works refer to Section 6.
6b	rehabilitate, to establish and maintain self- sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community on 15 ha comprising the portions of Lot 1578 shaded in dark blue in Attachment D; and	Not Applicable	EMO has completed rehabilitation of Lot 1578. Ongoing monitoring and management activities will occur to achieve a self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community.
6c	provide \$10,000 per year for two years from the commencement of the action (indexed to the National Consumer Price Index value in 2019) to the Shire of Westonia for the purpose of funding activities in the Westonia Common Management Plan 2016-2020 and subsequent versions. The first payment must be made within six months from the commencement of the action.	Compliant	On the 7th of July 2020, EMO provided \$10,000 to the Shire of Westonia for the purpose of funding activities in the Westonia Common Management Plan 2016-2020. The second payment was made in July 2021.
7	To provide for the establishment and ongoing management of the compensatory measures described in condition 6a and 6b, the approval	Compliant	EMO began implementing the Rehabilitation Offset Plan in 2020, within 12 months of the commencement of the action.



Page: 39 of 46

Number	Condition	Compliance	Comments
<b>7</b> a	holder must implement the Rehabilitation Offset Plan within 12 months of the commencement of the action. The purpose of the Rehabilitation Offset Plan will be to establish and maintain a self-sustaining native vegetation cover that is representative of the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community within twenty years from the commencement of rehabilitation activities. In addition the approval holder must:		EMO commenced rehabilitation works in the
7 d	Commence rehabilitation activities in the offset areas described in Attachment C within 18 months of the date of this approval;	Compliant	offset area, LOT 1578, in 2020 which was within 18 months of the date of this approval.
7b	Undertake a review by an independent and suitably qualified expert at five years, ten and fifteen years from the commencement of the rehabilitation activities. The purpose of the reviews will be to determine if the performance indicators and completion criteria as described in the Rehabilitation Offset Plan have been met. The approval holder must provide the results of each review to the Department within five months of the completion of each review;	Not Applicable	Independent review is not required until 5 years from the commencement of the rehabilitation activities. Audits are due to be completed in 2025, 2030 & 2035. Annual vegetation monitoring is completed and a report prepared by a qualified consultant comparing performance to the criteria. Refer to Section 7 for more details.
7c	Provide to the Department details of corrective actions, including triggers and timeframes for the implementation of corrective actions, that will be undertaken by the approval holder in the event that the reviews undertaken under condition 7b show that rehabilitation activities are not meeting the performance indicators and completion criteria as described in the Rehabilitation Offset Plan;	Not Applicable	
7d	Provide the Department, within twenty years from the commencement of rehabilitation activities, a report prepared by an independent and suitably qualified expert verifying that the rehabilitation areas comprise self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community;	Not Applicable	EMO commenced rehabilitation activities in 2020. Verification report is not yet required
7e	Continue the same standard of monitoring and management of the rehabilitation areas identified in Attachment C until the Department advises in writing that it has reviewed and accepts the report of the independent and suitably qualified expert; and	Not Applicable	
7f	Within 12 months of the advice notification in condition 7e, provide the Department with	Not Applicable	EMO commenced rehabilitation activities in 2020. Verification report is not yet required.



Page: 40 of 46

	a 10.1		
Number		Compliance	Comments
	written evidence for the legal protection of the rehabilitation offset described in conditions 6a and 6b in perpetuity (for example, through a covenant agreed with the Western Australian Department of Biodiversity, Conservation and Attractions).		Initial discussions with DBCA in 2020 indicated that their covenant agreement is not suitable to the rehabilitation offset areas.  EMO have approached the National Trust in Jan 2023 to protect the areas through their covenant agreement. The feedback was positive, although they would not consider entering into an agreement until the completion criteria were met. EMO will conduct further discussions with National Trust after receiving the initial audit report due in 2025.
Part B – S	tandard administrative conditions		
Notificati	on of date of commencement of the action		
8	The approval holder must notify the Department in writing of the date of commencement of the action within 10 business days after the date of commencement of the action.	Compliant	EMO provided notice to the Department on the 23rd of January 2020 that they will be commencing the action.
Complian	ce records		
9	The approval holder must maintain accurate and complete compliance records.	Compliant	EMO is maintaining accurate and complete compliance records. Data is stored and backed up on the site server or databases.
10	If the Department makes a request in writing, the approval holder must provide electronic copies of compliance records to the Department within the timeframe specified in the request.	Not Applicable	The Department have not requested copies of compliance records. Records are available if requested.
Preparati	on and publication of plans		
11a	The approval holder must: submit plans electronically to the Department for approval by the Minister;	Compliant	Plans were submitted to the Department and approved by the Minister on the 22/1/2020.
11b	publish each plan on the website within 20 business days of the date the plan is approved by the Minister or of the date a revised action management plan is submitted to the Minister or the Department, unless otherwise agreed to in writing by the Minister;	Compliant	Plans are published and available on the Ramelius website:  • Flora Management Plan • Offset Rehabilitation Plan • Fauna Management Plan  The Offset Rehabilitation Plan was revised in 2021 to update the shape of the 75ha offset revegetation area. The updated plan was submitted to the Department and uploaded to the Ramelius website in 2022. The Weed and Vertebrate Pest Management Plan which was previously referenced has been retired in March 2023 and details and



Page: 41 of 46

Number	Condition	Compliance	Comments
			management actions have been incorporated into the Flora Management Plan and Fauna Management Plan. The updated Plans will be uploaded to the Ramelius web page at the same time as this report.
11c	exclude or redact sensitive ecological data from plans published on the website or provided to a member of the public; and	Compliant	No sensitive ecological data is published in the plans available on the website
11d	keep plans published on the website until the end date of this approval.	Compliant	Plans are published and available on the Ramelius website:  • Flora Management Plan • Offset Rehabilitation Plan • Fauna Management Plan
12	The approval holder must ensure that any monitoring data (including sensitive ecological data), surveys, maps, and other spatial and metadata required under a plan is prepared in accordance with the Department's Guidelines for biological survey and mapped data (2018) and submitted electronically to the Department in accordance with the requirements of the plan.	Not Applicable	Plans do not require monitoring data to be submitted to the Department.
Annual co	ompliance reporting		
13	The approval holder must prepare a compliance report for each 12 month period following the date of commencement of the action, or otherwise in accordance with an annual date that has been agreed to in writing by the Minister. The approval holder must:	Compliant	Compliance Report completed for 12-month period 24th January 2022 to 23rd January 2023
13a	publish each compliance report on the website within 60 business days following the relevant 12 month period;	Compliant	EMO will publish this report on the Ramelius website within 60 business days
13b	notify the Department by email that a compliance report has been published on the website and provide the weblink for the compliance report within five business days of the date of publication;	Compliant	EMO will notify the department and provide a weblink within five business days of this report's publication
13c	keep all compliance reports publicly available on the website until this approval expires;	Compliant	EMO will publish this report and make all compliance reports available on the Ramelius website until the approval expires
13d	exclude or redact sensitive ecological data from compliance reports published on the website; and	Compliant	EMO has not included any sensitive ecological data in this report
13e	where any sensitive ecological data has been excluded from the version published, submit the full compliance report to the Department within 5 business days of publication.	Not Applicable	No sensitive ecological data was included or excluded from this report.



Page: 42 of 46

Number	Condition	Compliance	Comments
	g non-compliance	7.1.1.1.0	
14	The approval holder must notify the Department in writing of any: incident; non-compliance with the conditions; or non-compliance with the commitments made in plans. The notification must be given as soon as practicable, and no later than two business days after becoming aware of the incident or non-compliance. The notification must specify:	Not Applicable	EMO is not aware of any incident; non- compliance with the conditions; or non- compliance with the commitments made in plans
14a	any condition which is or may be in breach;	Not Applicable	
14b	a short description of the incident and/or non- compliance; and	Not Applicable	
14c	the location (including co-ordinates); date, and time of the incident and/or non-compliance. In the event the exact. information cannot be provided, provide the best information available	Not Applicable	
15	The approval holder must provide to the Department the details of any incident or non-compliance with the conditions or commitments made in plans as soon as practicable and no later than 10 business days after becoming aware of the incident or non-compliance, specifying:	Not Applicable	
15a	any corrective action or investigation which the approval holder has already taken or intends to take in the immediate future;	Not Applicable	
15b	the potential impacts of the incident or non- compliance; and	Not Applicable	
15c	the method and timing of any remedial action that will be undertaken by the approval holder.	Not Applicable	
Independ	lent Audit		
16	The approval holder must ensure that independent audits of compliance with the conditions are conducted as requested in writing by the Minister.	Not Applicable	The Minister has not requested from EMO an independent audit of compliance with the conditions.
<b>17</b> a	For each independent audit, the approval holder must: provide the name and qualifications of the independent auditor and the draft audit criteria to the Department;	Not Applicable	
17b	only commence the independent audit once the audit criteria have been approved in writing by the Department; and	Not Applicable	
17c	submit an audit report to the Department within the timeframe specified in the approved audit criteria.	Not Applicable	



Page: 43 of 46

EMO Environment

Number	Condition	Compliance	Comments
18	The approval holder must publish the audit report on the website within 10 business days of receiving the Department's approval of the audit report and keep the audit report published on the website until the end date of this approval.	Not Applicable	
Completi	on of the action		
19	Within 30 days after the completion of the action, the approval holder must notify the Department in writing and provide completion data.	Not Applicable	EMO has not completed the action.

## 12.2 NON COMPLIANCES

EMO has complied with all applicable conditions of the licence.

## 13. NEW ENVIRONMENTAL RISKS

EMO is unaware of any new risks which may impact the achievement of the approval conditions or pose a risk to the Environment in the project area.

The success of plantings established will depend on factors including weather and control of weeds. Weed management in the few years post planting will be critical to survival of plants and ensure progression to establishing self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community.

### 14. FUTURE WORKS PLAN

Further Infill rehabilitation has been planned, where required, for Lot 1578, Lot 162, and the remnant bush block. These works are scheduled for the winter of 2023. To prepare for this planting the access rows in these rehabilitation areas had been sprayed with glyphosate in spring 2022 and will be sprayed again early winter 2023 prior to planting to remove any weeds. EMO have ordered 15,000 seedlings (Table 14-1) and 52.5kg of local provenance seed (Table 14-2) to be sown or planted in rows down the access rows.

A selective grass and broad leaf herbicide will be applied to these areas in spring 2023 to control any emergent weeds. An insecticide spray will be applied to these areas in spring 2023 to protect the newly emerged seedlings from predation.

Table 14-1: Local provenance seedlings ordered for infill planting of Offset Rehabilitation areas, winter 2023

Genus	Species	Percentage	Seedlings
Eucalyptus	salubris	60%	9,000
Eucalyptus	longicornis	5%	750
Eucalyptus	loxophleba lissophloia	5%	750
Eucalyptus	yilgarnensis	5%	750



Page: 44 of 46

EMO Environment

Eucalyptus	salmonophloia	5%	750
Melaleuca	lateriflora	5%	750
Melaleuca	pauperiflora	10%	1,500
Melaleuca	eleuterostachya	5%	750
	Total		15,000

**Table 14-2:** Species list of seed ordered for 2023 infill planting of offset rehabilitation areas.

Genus	Species
Acacia	acuminata
Acacia	aestivalis
Acacia	colletioides
Acacia	hemiteles
Acacia	merralli
Acacia	microbotrya
Acacia	tetragonophylla
Acacia	yorkrakinensis ssp acrita
Atriplex	bunburyana
Eucalyptus	salubris
Pittosporum	angustifolium
Senna	artem. ssp filifolia

## 15. REFERENCES

Botanica Consulting (2023). *Edna May Project Farmland and Offset Rehabilitation Monitoring Report 2022*. Unpublished report prepared for Ramelius Resources Ltd.

Eco Logical Australia (2016). Westonia Common Conservation Management Plan 2016-2021. Prepared for Shire of Westonia

Harewood (2018). *Targeted Survey Search of Carnaby's black cockatoo*. Unpublished report prepared for Ramelius Resources Ltd.

File Name: 2023 ACR EPBC2018-8213 Final Version: 1 Date Published: 20/04/2023



Page: 45 of 46

EMO Environment

# 16. APPENDICES

Appendix A: EPBC Act Proposal Approval Decision and Conditions – EPBC 2018/8213

File Name: 2023 ACR EPBC2018-8213 Final Version: 1 Date Published: 20/04/2023

### PROPOSED APPROVAL

# Edna May Gold Project Expansion – Greenfinch Pit, Western Australia (EPBC 2018/8213)

This decision is made under sections 130(1) and 133(1) of the *Environment Protection and Biodiversity Conservation Act 1999 (Cth)*. Note that section 134(1A) of the **EPBC Act** applies to this approval, which provides in general terms that if the approval holder authorises another person to undertake any part of the action, the approval holder must take all reasonable steps to ensure that the other person is informed of any conditions attached to this approval, and that the other person complies with any such condition.

### **Details**

Person to whom the approval is granted (approval holder)	Edna May Operations Pty Ltd
ACN or ABN of approval holder	136 365 001
Action	Clearing of vegetation for the expansion of the existing Edna May Gold Project including the establishment of an open pit (the 'Greenfinch pit'), storage of non-reactive waste rock in an expanded North-North West waste rock landform, buttressing of an existing Tailings Storage Facility, development of a noise abandonment bund and construction of a haul road, site drainage works and storage of topsoil approximately 1 km north of Westonia, Western Australia [See EPBC Act referral 2018/8213].

## **Proposed Approval decision**

My decision on whether or not to approve the taking of the action for the purposes of the controlling provision for the action is as follows.

## **Controlling Provisions**

Listed Threatened Species and C	ommunities	
Section 18	Approve	
Section 18A	Approve	

# Period for which the approval has effect

This approval has effect until 30 December 2039.

# **Decision-maker**

Name and position	Declan O'Connor-Cox			
	Acting Assistant Secretary			
	Environment Approvals Division			
	Department of the Environment and Energy			
Signature	Dun			
Date of decision	22/1/2020			

# **Conditions of approval**

This approval is subject to the conditions under the EPBC Act as set out in ANNEXURE A.

#### ANNEXURE A - CONDITIONS OF APPROVAL

# Part A - Conditions specific to the action

- To minimise impacts to EPBC Act listed species and ecological communities, the approval holder must not clear more than 16.6 hectares of native vegetation within the Clearing Permit Area.
   Within the Clearing Permit Area the approval holder must not clear more than the following:
  - a. 9.3 ha of Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community; and
  - b. 9.3 ha of foraging habitat and no more than 38 potential breeding trees for the Carnaby's Black Cockatoo.
- 2. To minimise the impacts of fragmentation on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, the approval holder must retain and maintain the two corridors of native vegetation shown as '40m wide corridor' and '50m wide corridor' in Attachment A. The approval holder must maintain these corridors as self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, integrated with Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community in the surrounding ecosystem. The '40m wide corridor' must be maintained so as to be at least 40 metres wide at its narrowest point for the life of the approval.
  The '50m wide corridor' must be maintained so as to be at least 50 metres wide at its narrowest point for the life of the approval.
- 3. To minimise the impacts of clearing, fragmentation and edge effects on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community and foraging habitat and potential breeding trees for the Carnaby's Black Cockatoo, the approval holder must rehabilitate at least 1.9 hectares identified as 'Rehabilitation Areas (1.9ha)' in Attachment C. The rehabilitation must establish and maintain self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community in the Rehabilitation Areas, integrated with the surrounding Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community within ten years of the commencement of rehabilitation activities. In order to meet this objective, the approval holder must:
  - a. Rehabilitate the Rehabilitation Areas using species representative of the **Eucalypt Woodlands** of the **Western Australian Wheatbelt Threatened Ecological Community**;
  - b. Commence rehabilitation activities in all Rehabilitation Areas within twelve months of the completion of construction of the abandonment bund;
  - c. Implement sufficient monitoring and management of the Rehabilitation Areas to a standard that will ensure that the objective of condition 3 is met within ten years of the commencement of rehabilitation activities;
  - d. Provide, within eleven years from the commencement of rehabilitation activities, a report prepared by an independent and suitably qualified expert verifying that the rehabilitation areas comprise self-sustaining and fully functioning Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community; and
  - e. Continue the same standard of monitoring and management of the Rehabilitation Areas until the **Department** advises in writing that it has reviewed and accepts the report of the **independent and suitably qualified expert**.

- 4. To minimise the impacts of weeds on the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community, foraging habitat and potential breeding trees for the Carnaby's Black Cockatoo, the approval holder must implement the Weed and Vertebrate Pest Management Plan from the commencement of the action for the life of the approval.
- 5. To minimise the impacts of predation by **feral animals** on the **Carnaby's Black Cockatoo**, the **approval holder** must implement the **Fauna Management Plan** from the **commencement of the action** for the **life of the approval**.
- 6. To compensate for the residual significant impact on the **Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community**, the approval holder must:
  - a. Rehabilitate, to establish and maintain self-sustaining and fully functioning Eucalypt
     Woodlands of the Western Australian Wheatbelt Threatened Ecological Community on
     70 ha comprising the portions of Lots 161 and 162 shaded in dark blue in Attachment D;
  - b. rehabilitate, to establish and maintain self-sustaining and fully functioning **Eucalypt**Woodlands of the Western Australian Wheatbelt Threatened Ecological Community on

    15 ha comprising the portions of Lot 1578 shaded in dark blue in Attachment D; and
  - c. provide \$10,000 per year for two years from the commencement of the action (indexed to the National Consumer Price Index value in 2019) to the Shire of Westonia for the purpose of funding activities in the Westonia Common Management Plan 2016-2020 and subsequent versions. The first payment must be made within six months from the commencement of the action.
- 7. To provide for the establishment and ongoing management of the compensatory measures described in condition 6a and 6b, the approval holder must implement the Rehabilitation Offset Plan within 12 months of the commencement of the action. The purpose of the Rehabilitation Offset Plan will be to establish and maintain a self-sustaining native vegetation cover that is representative of the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community within twenty years from the commencement of rehabilitation activities.

In addition the approval holder must:

- a. Commence rehabilitation activities in the offset areas described in <u>Attachment C</u> within 18 months of the date of this approval;
- b. Undertake a review by an independent and suitably qualified expert at five years, ten and fifteen years from the commencement of the rehabilitation activities. The purpose of the reviews will be to determine if the performance indicators and completion criteria as described in the Rehabilitation Offset Plan have been met. The approval holder must provide the results of each review to the Department within five months of the completion of each review;
- c. Provide to the **Department** details of corrective actions, including triggers and timeframes for the implementation of corrective actions, that will be undertaken by the approval holder in the event that the reviews undertaken under condition 7b show that rehabilitation activities are not meeting the performance indicators and completion criteria as described in the **Rehabilitation Offset Plan**;
- d. Provide the **Department**, within twenty years from the commencement of rehabilitation activities, a report prepared by an **independent and suitably qualified expert** verifying that

- the rehabilitation areas comprise self-sustaining and fully functioning **Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community**;
- e. Continue the same standard of monitoring and management of the rehabilitation areas identified in <u>Attachment C</u> until the **Department** advises in writing that it has reviewed and accepts the report of the **independent and suitably qualified expert**; and
- f. Within 12 months of the advice notification in condition 7e, provide the **Department** with written evidence for the legal protection of the rehabilitation offset described in conditions 6a and 6b in perpetuity (for example, through a covenant agreed with the **Western Australian Department of Biodiversity, Conservation and Attractions**).

# Part B - Standard administrative conditions

#### Notification of date of commencement of the action

8. The approval holder must notify the **Department** in writing of the date of **commencement of the action** within 10 **business days** after the date of **commencement of the action**.

#### Compliance records

- 9. The approval holder must maintain accurate and complete compliance records.
- 10. If the **Department** makes a request in writing, the approval holder must provide electronic copies of **compliance records** to the **Department** within the timeframe specified in the request.

**Note: Compliance records** may be subject to audit by the **Department** or an independent auditor in accordance with section 458 of the **EPBC Act**, and or used to verify compliance with the conditions. Summaries of the result of an audit may be published on the **Department**'s website or through the general media.

### Preparation and publication of plans

- 11. The approval holder must:
  - a. submit plans electronically to the Department for approval by the Minister;
  - b. publish each **plan** on the **website** within 20 **business days** of the date the **plan** is approved by the **Minister** or of the date a revised action management plan is submitted to the **Minister** or the **Department**, unless otherwise agreed to in writing by the **Minister**;
  - c. exclude or redact **sensitive ecological data** from **plans** published on the **website** or provided to a member of the public; and
  - d. keep plans published on the website until the end date of this approval.
- 12. The approval holder must ensure that any **monitoring data** (including **sensitive ecological data**), surveys, maps, and other spatial and metadata required under a **plan** is prepared in accordance with the **Department's** *Guidelines for biological survey and mapped data* (2018) and submitted electronically to the **Department** in accordance with the requirements of the **plan**.

# **Annual compliance reporting**

- 13. The approval holder must prepare a **compliance report** for each 12 month period following the date of **commencement of the action**, or otherwise in accordance with an annual date that has been agreed to in writing by the **Minister**. The approval holder must:
  - a. publish each **compliance report** on the **website** within 60 **business days** following the relevant 12 month period;
  - notify the **Department** by email that a **compliance report** has been published on the **website**and provide the weblink for the **compliance report** within five **business days** of the date of
    publication;

- c. keep all compliance reports publicly available on the website until this approval expires;
- d. exclude or redact sensitive ecological data from compliance reports published on the website; and
- e. where any **sensitive ecological data** has been excluded from the version published, submit the full **compliance report** to the **Department** within 5 **business days** of publication.

Note: Compliance reports may be published on the Department's website.

### Reporting non-compliance

- 14. The approval holder must notify the **Department** in writing of any: **incident**; non-compliance with the conditions; or non-compliance with the commitments made in **plans**. The notification must be given as soon as practicable, and no later than two **business days** after becoming aware of the **incident** or non-compliance. The notification must specify:
  - a. any condition which is or may be in breach;
  - b. a short description of the incident and/or non-compliance; and
  - c. the location (including co-ordinates), date, and time of the incident and/or non-compliance. In the event the exact information cannot be provided, provide the best information available.
- 15. The approval holder must provide to the **Department** the details of any **incident** or non-compliance with the conditions or commitments made in **plans** as soon as practicable and no later than 10 **business days** after becoming aware of the **incident** or non-compliance, specifying:
  - a. any corrective action or investigation which the approval holder has already taken or intends to take in the immediate future;
  - b. the potential impacts of the incident or non-compliance; and
  - c. the method and timing of any remedial action that will be undertaken by the approval holder.

# Independent audit

- 16. The approval holder must ensure that **independent audits** of compliance with the conditions are conducted as requested in writing by the **Minister**.
- 17. For each **independent audit**, the approval holder must:
  - a. provide the name and qualifications of the independent auditor and the draft audit criteria to the **Department**;
  - b. only commence the **independent audit** once the audit criteria have been approved in writing by the **Department**; and
  - c. submit an audit report to the **Department** within the timeframe specified in the approved audit criteria.
- 18. The approval holder must publish the audit report on the **website** within 10 **business days** of receiving the **Department's** approval of the audit report and keep the audit report published on the **website** until the end date of this approval.

# Completion of the action

19. Within 30 days after the **completion of the action**, the approval holder must notify the **Department** in writing and provide **completion data**.

# Part C - Definitions

In these conditions, except where contrary intention is expressed, the following definitions are used:

**Business day** means a day that is not a Saturday, a Sunday or a public holiday in the state or territory of the action.

**Carnaby's Black Cockatoo** means the **EPBC Act** listed Carnaby's Black Cockatoo (*Calyptorhynchus latirostris*).

Clearing means the cutting down, felling, thinning, logging, removing, killing, destroying, poisoning, ringbarking, uprooting or burning of vegetation.

Clearing Permit Area is the Clearing Permit Area identified in Attachment A.

**Commencement of the action** means the first instance of any specified activity associated with the action including clearing of vegetation and **construction** of any infrastructure. **Commencement of the action** does not include minor physical disturbance necessary to:

- i. undertake pre-clearance surveys or monitoring programs;
- ii. install signage and /or temporary fencing to prevent unapproved use of the project area;
- iii. protect environmental and property assets from fire, weeds and pests, including **us**e of existing surface access tracks; and
- iv. install temporary site facilities for persons undertaking pre-commencement activities so long as these are located where they have no impact on the **protected matters**.

**Completion criteria** means, but may not be limited to, the completion criteria to be achieved at ten years from the commencement of rehabilitation activities identified in the Edna May Operations Offset Rehabilitation Plan provided to the Department on 4 November 2019.

**Completion data** means an environmental report and spatial data clearly detailing how the conditions of this approval have been met. The **Department**'s preferred spatial data format is **shapefile**.

**Completion of the action** means all specified activities associated with the action have permanently ceased.

**Compliance records** means all documentation or other material in whatever form required to demonstrate compliance with the conditions of approval in the approval holder's possession or that are within the approval holder's power to obtain lawfully.

Compliance reports means written reports:

- i. providing accurate and complete details of compliance, **incidents**, and non-compliance with the conditions and the **plans**;
- ii. consistent with the **Department's** Annual Compliance Report Guidelines (2014);
- iii. include a **shapefile** of any clearance of any **protected matters**, or their habitat, undertaken within the relevant 12 month period; and
- iv. annexing a schedule of all **plans** prepared and in existence in relation to the conditions during the relevant 12 month period.

**Construction** means the erection of a building or structure that is or is to be fixed to the ground and wholly or partially fabricated on-site; the alteration, maintenance, repair or demolition of any building or structure; preliminary site preparation work which involves breaking of the ground (including pile driving); the laying of pipes and other prefabricated materials in the ground, and any associated excavation work; but excluding the installation of temporary fences and signage.

**Department** means the Australian Government agency responsible for administering the **EPBC Act**.

EPBC Act means the Environment Protection and Biodiversity Conservation Act 1999 (Cth).

**EPBC Act listed species and ecological communities** means the **EPBC Act** listed **Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community**, Carnaby's Black Cockatoo (*Calyptorhynchus latirostris*) and **Resinous Eremophila** (*Eremophila resinosa*).

**EPBC Regulations** means the *Environment Protection and Biodiversity Conservation Regulations 2000* (Cth).

**Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community** means the **EPBC Act** listed Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community.

**Fauna Management Plan** means the *Fauna Management Plan* provided to the Department as part of preliminary documentation on 9 October 2019.

**Feral animals** includes, but may not be limited to, Red Fox (*Vulpes vulpes*), European Rabbit (*Oryctolagus cuniculus*), Cat (*Felis catus*) and Wild Dog (*Canis lupus familaris*)

**Foraging habitat for the Carnaby's Black Cockatoo** means the **EPBC Act** listed Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community.

**Incident** means any event which has the potential to, or does, impact on one or more **protected** matter(s).

Independent and suitably qualified expert means a person that:

- a. does not have, an individual or by employment or family affiliation, any conflicting or competing interests with the approval holder; the approval holder's staff, representatives or associated persons; or the project, including any personal, financial, business or employment relationship, other than receiving payment for undertaking the role for which the condition requires an independent expert;
- b. has professional qualifications relevant to the **protected matter(s)**;
- c. is a recognised expert, supported by relevant peer reviewed publications, regarding the **protected matter(s)**; and
- d. has at least 7 years of experience designing and undertaking surveys relevant to the **protected matter(s)**.

**Independent audit**: means an audit conducted by an independent and **suitably qualified person** as detailed in the *Environment Protection and Biodiversity Conservation Act 1999 Independent Audit and Audit Report Guidelines* (2015).

**Life of the approval** means the period for which the approval has effect.

Monitoring data means the data required to be recorded under the conditions of this approval.

**Minister** means the Australian Government Minister administering the **EPBC Act** including any delegate thereof.

**Performance indicators** means, but may not be limited to, the performance indicators to be achieved at five years from the commencement of rehabilitation activities identified in the Edna May Operations Offset Rehabilitation Plan provided to the Department on 4 November 2019.

**Plan(s)** means any of the documents required to be prepared, approved by the **Minister**, and/or implemented by the approval holder and published on the **website** in accordance with these conditions (includes action management plans and/or strategies).

**Potential breeding trees for the Carnaby's Black Cockatoo** means the breeding habitat for Carnaby's Black Cockatoo identified in <u>Attachment B</u>.

**Protected matter** means a matter protected under a controlling provision in Part 3 of the **EPBC Act** for which this approval has effect.

**Rehabilitation Offset Plan** means the EMO Offset Rehabilitation Plan provided to the Department as part of the preliminary documentation on 9 October 2019 and any subsequent revisions as approved by the **Department**.

Resinous Eremophila means the EPBC Act listed Resinous Eremophila (Eremophila resinosa).

**Sensitive ecological data** means data as defined in the Australian Government Department of the Environment (2016) *Sensitive Ecological Data – Access and Management Policy V1.0.* 

**Shapefile** means location and attribute information of the action provided in an Esri shapefile format. Shapefiles must contain '.shp', '.shx', '.dbf' files and a '.prj' file that specifies the projection/geographic coordinate system used. Shapefiles must also include an '.xml' metadata file that describes the shapefile for discovery and identification purposes.

Species representative of the Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community means Salmon Gum (Eucalyptus salmonophloia), Red Morrell (Eucalyptus longicornis) and Gimlet (Eucalyptus salubris) and/or species that will produce the following Eucalypt woodlands as described in the Approved Conservation Advice (including listing advice) for the Eucalypt Woodlands of the Western Australian Wheatbelt:

- Mid woodland of Red Morrell (Eucalyptus longicornis) over isolated tall Boree (Melaleuca pauperiflora subsp. fastigiata) shrubs, low open chenopod shrubland Saltbush (Atirplex) species and open low forbland of Grey Copper Burr (Sclerolaena diacantha) on clay-loam plain; and/or
- Mid woodland of Gimlet over open mid shrubland of Desert Quandong (Santalum acuminatum) and open low shrubland of Tan Wattle (Acacia hemiteles) and Spiny Grevillea (Grevillea acuaria) on clay-loam plain.

**Suitably qualified person** means a person who has professional qualifications, training, skills and/or experience related to the nominated subject matter and can give authoritative independent assessment, advice and analysis on performance relative to the subject matter using the relevant protocols, standards, methods and/or literature.

**Website** means a set of related web pages located under a single domain name attributed to the approval holder and available to the public.

Weed and Vertebrate Pest Management Plan is the Weed and Vertebrate Pest Management Plan provided to the Department as part of the preliminary documentation on 9 October 2018.

**Weeds** includes, but may not be limited to, Wild Oats (*Avena fatua*), Onion Weed (*Asphodelus fistulosus*) and Wild Raddish (*Raphanus raphanistrum*).

Western Australian Department of Biodiversity, Conservation and Attractions means the Western Australian Department of Biodiversity, Conservation and Attractions or any future agencies that retain its roles and responsibilities.


**Westonia Common Management Plan 2016-2021** is the *Westonia Common Management Plan 2016-2021* provided to the Department as part of the preliminary documentation on 9 October 2018, or any subsequent versions.

# **ATTACHMENTS**

# ATTACHMENT A – Map of Clearing Permit Area




ATTACHMENT B – Map of Eucalypt Woodlands of the Western Australian Wheatbelt Threatened Ecological Community and breeding and foraging habitat for the Carnaby's Black Cockatoo in the Clearing Permit Area.



ATTACHMENT C - Map of rehabilitation areas

ATTACHMENT D – Map of environmental offset areas (Lots 161, 162 and 1578)





Page: 46 of 46

EMO Environment

**Appendix B:** Edna May Project Farmland and Offset Rehabilitation Monitoring Report 2022

File Name: 2023 ACR EPBC2018-8213 Final Version: 1 Date Published: 20/04/2023



# **EDNA MAY PROJECT**

# Farmland and Offset Rehabilitation Monitoring November 2022





33 Brewer St PERTH WA 6000 | 0419 916 034



### **Document Information**

Prepared for: Ramelius Resources Limited

Project Name: Edna May Project

**Tenements:** G77/122, M77/88, M77/110, M77/124, L77/18, L77/233

Job Reference: Farmland Rehab Monitoring Report

**Job Number:** 2022/096

Date: 28 February 2023

Version: FINAL

### **Disclaimer**

This document and its contents are to be treated as confidential and are published in accordance with and subject to an agreement between Botanica Consulting (BC) and the client for whom it has been prepared and is restricted to those issues that have been raised by the client in its engagement of BC. Neither this document nor its contents may be referred to or quoted in any manner (report or other document) nor reproduced in part or whole by electronic, mechanical or chemical means, including photocopying, recording or any information storage system, without the express written approval of the client and/or BC.

This document and its contents have been prepared utilising the standard of care and skill ordinarily exercised by Environmental Scientists in the preparation of such documents. All material presented in this document is published in good faith and is believed to be accurate at the time of writing. Any person or organisation who relies on or uses the document and its contents for purposes or reasons other than those agreed by BC and the client without primarily obtaining the prior written consent of BC, does so entirely at their own risk. BC denies all liability in tort, contract or otherwise for any loss, damage or injury of any kind whatsoever (whether in negligence or otherwise) that may be endured as a consequence of relying on this document and its contents for any purpose other than that agreed with the client.

# **Quality Assurance**

An internal quality review process has been implemented to each project task undertaken by BC. Each document and its contents is carefully reviewed by core members of the Consultancy team and signed off at Director Level prior to issue to the client. Draft documents are submitted to the client for comment and acceptance prior to final production.

Cover Photo: T13, transect 13 at Warrachuppin, rehabilitated in 2022 (November 2022)

Prepared by: Jennifer Jackson

Senior Environmental Consultant

**Botanica Consulting** 

Reviewed by: Andrea Williams

Director

**Botanica Consulting** 

Approved by: Jim Williams

Director

**Botanica Consulting** 



# **Contents**

1	Introduction	4
	1.1 Project Background	5
	1.2 Farmland Vegetation Monitoring	5
	1.2.1 Warrachuppin Road Rehabilitation	6
	1.3 Regional Setting	9
	1.3.1 Vegetation	9
	1.3.2 Land Systems	9
	1.3.3 Climate	10
2	Methods	11
	2.1 Analogue Site Selection	13
3	Results	14
	3.1 Vegetation Monitoring	14
	3.1.1 Completion Criteria Assessment	16
	3.1.2 2015 Rehabilitation	17
	3.1.3 2016 Rehabilitation	19
	3.1.4 2020/ Slippery's Paddock Rehabilitation	21
	3.1.5 2021 Rehabilitation	23
	3.1.6 2022 (Warrachuppin Road) Rehabilitation	24
4	Discussion	25
5	Bibliography	26
T	Tables	
T	able 1: Revegetation methods	6
	able 2: Land Systems across the EMO Project area	
T	able 3: Monitoring Transect Details	11
T	able 4: Completion Criteria Targets	12
	able 5: Monitoring Results Summary 2017-2022	
T	able 6: Assessment of rehabilitation sites against completion criteria for 2022 monitoring	16
T	able 7: Assessment of 2015 rehabilitation sites against completion criteria for 2022 monitoring	18
	able 8: Assessment of 2016 rehabilitation sites against completion criteria for 2022 monitoring	
	able 9: Assessment of 2020 rehabilitation sites against completion criteria for 2022 monitoring	
	able 10: Assessment of 2021 rehabilitation sites against completion criteria for 2022 monitoring	
T	able 11: Assessment of the Warrachuppin Road rehabilitation site against completion criteria for 202	
	monitoring	24
F	igures	
F	igure 1: Regional Map – Project Location	5
	igure 2: Farmland Rehabilitation and Vegetation Monitoring Transect Locations	
F	igure 3: Rainfall Data for the Westonia weather station (#12083) (BoM, 2023)	10



Figure 4: Mean species richness and total plant density of 2015 Rehabilitation sites	17
Figure 5: Mean vegetation cover and relative weed cover (%) of 2015 Rehabilitation sites	17
Figure 6: 2022 photos of transects T1 (left) and T5 (right)	18
Figure 7: Mean species richness and total plant density of 2016 Rehabilitation sites	19
Figure 8: Mean vegetation cover and relative weed cover (%) of 2016 Rehabilitation sites	19
Figure 9: 2022 photos of transects T2 (left) and T3 (right)	20
Figure 10: 2022 photos of transects T4 (left) and T6 (right)	20
Figure 11: Mean species richness and total plant density of the Slippery's Paddock Rehabilitation sites .	21
Figure 12: Mean vegetation cover and relative weed cover (%) of the Slippery's Paddock Rehabilitation	sites
	22
Figure 13: 2022 photos of transects T9 (left) and T10 (right)	22
Figure 14: 2022 photos of transects T11 (left) and T12 (right)	23
Figure 15: 2022 photos of transects T7 (left) and T8 (right)	23
Figure 16: 2022 photo of transect T13	24

# **APPENDICES**

Appendix A: Species list

Appendix B: Photographs of Transects

Appendix C: Assessment of rehabilitation sites against completion criteria from 2017 to 2020 Appendix D:Assessment of rehabilitation sites against completion criteria for 2021 monitoring



# 1 INTRODUCTION

The Edna May Gold Mine is located in the Shire of Westonia, approximately 1 km north of the township of Westonia and approximately 280 km east-northeast of Perth Western Australia (Figure 1). Mining of the Edna May deposit has been conducted periodically since the early 1900s with current operations being conducted by Edna May Operations Pty Ltd (EMO), which is a wholly owned subsidiary of Ramelius Resources Limited (Ramelius).

EMO is located within the Merredin Subregion of the Avon Wheatbelt Bioregion, which has been subject to extensive clearing for agriculture. Remnant Eucalypt woodland vegetation within the region is protected under Commonwealth legislation as a Threatened Ecological Community (TEC) known as the 'Eucalypt woodlands of the Western Australian Wheatbelt'. EMO commenced a large-scale rehabilitation programme in 2015 with the intention of rehabilitating ex-farmland and agricultural land back to woodland, similar to that of the TEC.

In July 2017, Phoenix Environmental Sciences Pty Ltd (Phoenix) was engaged by EMO to undertake a rehabilitation assessment in areas rehabilitated in 2015 and 2016 surrounding the Edna May Gold Mine. Botanica Consulting (BC) took over the monitoring of these sites in 2018, and this is the fourth year of monitoring completed by BC. EMO has rehabilitated an additional 74.5 ha of farmland in 2020 and 2021 and additional monitoring sites have been added to these areas. For the 2022 monitoring there were 12 sites in the farmland rehabilitation areas and six analogue sites in nearby Eucalypt woodlands. One new site was established during this monitoring at the recently rehabilitated Warrachuppin Road.

The objectives of the vegetation monitoring program were to:

- Undertake vegetation monitoring of each analogue and rehabilitation site and assess rehabilitation against baseline data and completion criteria.
- Present a report detailing the current status of the rehabilitated areas.

The 2022 monitoring was completed by April Slater (Environmental Consultant) and Jennifer Jackson (Senior Botanist) on the 21<sup>st</sup> and 22<sup>nd</sup> of November 2022.






Figure 1: Regional Map - Project Location

# 1.1 Project Background

The EMO is located approximately one kilometre (km) north of the Westonia township in Western Australia (Figure 1), which is the administrative centre for the Shire of Westonia. The EMO is 52 km by road east of the regional population centre of Merredin. There is a sealed road to the town, which is serviced by scheme power and water, reliable telecommunications and mobile phone coverage. The EMO is located within the Yilgarn mineral field.

The EMO site has been subject to several phases of mining since 1911 over which time development of the town and mining operations have remained intimately linked. Currently, it is a medium-sized, gold mining operation that consists of conventional open cut pits, underground mining operation and a carbon-in-leach (CIL) processing plant. It processes approximately 2.9 million tonnes per annum (Mtpa) of oxide and primary ore. Tailings are discharged in a Tailings Storage Facility (TSF) located within the Integrated Waste Landform (IWL) (namely the TSF/IWL). The TSF/IWL has one cell, an associated decant tower and submersible pump which returns supernatant reclaim water to the process water pond (EMO, 2021).

Currently, the Edna May processing plant has ore feed supply through to Financial Year 2025 (as shown in the Company's 3 Year Outlook) without any contribution from the Stage 3 open pit. Other feed options will be assessed in the meantime to extend mine life beyond this period (Ramelius Resources, 2023).

# 1.2 Farmland Vegetation Monitoring

Approximately 97 ha of farmland surrounding the Project was rehabilitated in 2015 and 2016 (Figure 2). These areas contain two sites that are 5 ha each, these sites are where the Threatened flora, *Eremophila resinosa*, was sown with the direct seeding mix. Revegetation was undertaken across six sites utilising direct seeding and planting of tubestock (Table 1).



Direct seeding was undertaken utilising a Commercial Native Vegetation Seeder (CommVeg seeder developed by Dr Geoff Woodall). In a single pass operation, the CommVeg seeder scalping blade produces a flat-bottomed scalp which is followed by a shallow rip (0.3 m) with a spring tyne followed by paired tillage disks and then the passage of the floating seeder arm which flattens the ripped and tilled soil then forms a seeding trench at a present depth, then places seed before closing the trench and pressing the soil.

In the majority of rehabilitated areas tubestock was hand planted utilising Pottiputki planters. For site 4 rehabilitated in 2016 tubestock was planted by a Chatsfield tree planter that in a one pass operation rips, scalps and plants a seedling (Bella Bamford pers. Comm.).

The seeding and planting methods result in parallel shallow trenches that have been seeded and/or planted interspaced by areas that are not tilled and received no native seed or plants.

EMO rehabilitated an additional 74.5 ha of farmland in 2020 and 2021, an area to the northeast that will connect two sites rehabilitated in 2016, and an area to the southwest, known as Slippery's Paddock. This brings the total of land rehabilitated to approximately 170 ha.

In July 2017 Phoenix Environmental Sciences Pty Ltd (Phoenix) was engaged by EMO to undertake a rehabilitation assessment in areas rehabilitated in 2015 and 2016 surrounding the Edna May Gold Mine. These sites were monitored in December 2018, 2019 and 2020 by Botanica Consulting (BC). In December 2020, BC established two transects on rehabilitated land in Slippery's Paddock to begin vegetation monitoring there. In 2021 an additional four transects were established; two in Slippery's Paddock and two between Sites 3 and 4. For the 2021 monitoring there were 12 sites in the farmland rehabilitation areas and six analogue sites in nearby Eucalypt woodlands (Figure 2).

# 1.2.1 Warrachuppin Road Rehabilitation

There are two features within the EMO which were required to be rehabilitated as per Federal Government EPBC (Environment Protection and Biodiversity Conservation Act 1999) approval conditions. This included the original Warrachuppin road, southwest of the EMO. This was rehabilitated in 2022.

**Table 1: Revegetation methods** 

Site	Rehabilitation Year	Area (ha)	Methods	
1	2015	4.1	Direct seeded using the CommVeg seeder, seedlings were hand planted into the direct seeding rows	
2	2016	5	Site was direct seeded using the CommVeg seeder, seedlings were hand planted into the direct seeding rows. This site is also <i>Eremophila resinosa</i> translocation site	
3	2016	5.3+21.4	Site was direct seeded using the CommVeg seeder, seedlings were hand planted into the direct seeding rows. This site is also <i>Eremophila resinosa</i> translocation site	
4	2016	36.8	Site was direct seeded using the CommVeg seeder, seedlings were planted into separate rows to the direct seeding using the Chatsfield treplanter. This site is also <i>Eremophila resinosa</i> translocation site planted 2018– direct seeding and seedlings with CommVeg seeder, (established between existing rows)	
5	2015	0.9	Direct seeded using the CommVeg seeder, seedlings were hand planted into the direct seeding rows. Previous failed revegetation attempts in 201 & 2013	
6	2016	9.8+13.2	Direct seeded using the CommVeg seeder, seedlings were hand planted into the direct seeding rows. Previous failed revegetation attempts in 2011 & 2013	



Site	Rehabilitation Year	Area (ha)	Methods	
7	2021	62	Direct seeding using the CommVeg seeder, Seedlings planted in separate rows using the Chatsfield tree planter. <i>Eremophila resinosa</i> seed sown in own rows using CommVeg seeder.	
Slippery's Paddock	2020	5.7	Topsoil, sourced from Greenfinch Pit clearing, spread 200mm deep in rows. Seedlings hand planted into topsoil within rows created by the Chatsfield tree planter (See Appendix 5 for species composition)	
Slippery's Paddock	2020	6.8	Seedlings planted with Chatsfield tree planter.	
Warrachuppin Road	2022	1.06	Rehabilitation earthworks commenced in 2021 which consisted of removing the bitumen road surface and ripping the road base. In June 2022 EMO seeded and planted seedlings on the site.  This was completed using the CommVeg direct seeder. Seedlings were planted using potti-putki in seeded and ripped rows.	






Figure 2: Farmland Rehabilitation and Vegetation Monitoring Transect Locations



# 1.3 Regional Setting

## 1.3.1 Vegetation

The Edna May Gold Mine is located within the Merredin Subregion of the Avon Wheatbelt Bioregion, which has been subject to extensive clearing for agriculture and grazed by stock. Remnant Eucalypt woodland vegetation within the region is protected under Commonwealth legislation as a Threatened Ecological Community (TEC) known as the 'Eucalypt woodlands of the Western Australian Wheatbelt'.

The Merredin subregion is characterized by gently undulating landscapes of low relief; proteaceous scrub heaths on residual lateritic uplands and mixed woodlands on quaternary alluvial soils. The region is dominated by mixed woodland of Mallee and Eucalyptus species. Remnant vegetation, riparian systems, populations of threatened native flora and fauna species and ecosystems are in poor condition, with the trend expected to decline (McKenzie, May and McKenna, 2002). Extensive clearing of native vegetation has led to salinity problems being experienced throughout the bioregion.

Multiple reconnaissance flora and vegetation surveys of native vegetation surrounding the Edna May Gold Mine have been conducted, including surveys conducted by MWH (2014), Phoenix Environmental Services (2016; 2017) and Botanica Consulting (2018). From these surveys, a total of five natural vegetation communities are present in the area surrounding the Edna May Gold Mine:

- 1. Eucalyptus corrugata Mallee Woodland
- 2. Eucalyptus longicornis Woodland
- 3. Eucalyptus loxophleba Mallee Woodland
- 4. Eucalyptus salubris Woodland
- 5. Melaleuca/Acacia Scrub

# 1.3.2 Land Systems

Land systems are defined by Payne, et. al. (1998) as areas or groups of areas throughout which there are recurring patterns of topography, soil and vegetation. The Edna May Project farmland revegetation is located across four land systems as described in Table 2.

Table 2: Land Systems across the EMO Project area

Land System	Description
Baladjie	Valley floors and lower slopes, in the northern Zone of Ancient Drainage, with calcareous loamy earth and alkaline red loamy duplex (mostly shallow). Woodland.
Bencubin	Gently undulating gneissic and granitic terrain with rock outcrop surrounded by mallee-broom bush duplexs and yellow sandplain.
Holleton	Lateritic sandplain and other soil formations on low isolated often mafic hills. Isolated low hills and rises with yellowish red sandplain and Mallee and Gimlet duplexes on lower slopes.
Tandegin	Sandplain dominated interfluves with weakly indurated lateritised crests and upper slopes and long colluvial yellow sandplain upper to lower slopes. Unlateritised surfaces dominated by sodic and alkaline duplex soils.



### 1.3.3 Climate

The climate of the Merredin subregion is characterised as semi-arid warm Mediterranean and is characterised by hot dry summers and wet winters (Beard, 1990; Beecham, 2001). Rainfall data for the Westonia weather station (#12083), located approximately 1 km south-east of the Edna May Gold Mine, is shown in Figure 1-4 (BoM, 2023). Rainfall for 2022 was above the annual average of 331.3 mm, with 416 mm recorded until the end of November 2022, with the months of August and September well above the monthly average (Figure 3) (BoM, 2023).




Figure 3: Rainfall Data for the Westonia weather station (#12083) (BoM, 2023)



# 2 METHODS

For the 2022 monitoring there were 13 sites in the farmland rehabilitation areas, including a new site at the old Warrachupin Road, and six analogue sites in nearby Eucalypt woodlands. Transect coordinates and year of rehabilitation are presented in Table 3.

**Table 3: Monitoring Transect Details** 

Rehabilitation/ Analogue Site	Rehab year	Transect ID	GPS Coordinates (GDA 94, 32751)
Site 1	2015	T1	51J 91495 6530951
Site 2	2016	T2	51J 91501 6531500
Site 3	2016	T3	51J 91406 6532358
Site 4	2016	T4	51J 89807 6534117
Site 5	2015	T5	51J 88761 6533229
Site 6	2016	T6	51J 88797 6532647
Cito 7	2021	T7	51J 91283 6534011
Site 7	2021	T8	51J 91129 6534031
	2020	Т9	51J 89538 6529943
Olimpan da Daddaale	2020	T10	51J 89399 6529969
Slippery's Paddock	2020	T11	51J 89278 6529787
	2020	T12	51J 89424 6529744
Warrachuppin Road	2022	T13	51J 89119 6530737
A	-	A1	51J 91391 6530770
Analogue 1	-	A2	51J 91375 6530778
Analagua	-	А3	51J 90486 6529443
Analogue 2	-	A4	51J 90444 6529468
Analasus 2	-	A5	51J 89261 6530010
Analogue 3	-	A6	51J 89290 6530091

Each transect comprised of 1m X 1m quadrats (25 quadrats per transect) along the length of the transect (25m length).

Quantitative floristic data collected in each sequential 1 m x 1 m quadrat along the 25 m transect included:

- Identification of all vascular plants within the quadrat (species richness);
- Count of all vascular plants of each species recorded in the quadrat (plant density);
- Visual estimate of the perennial foliage cover of each species in the quadrat (vegetation cover); and
- Visual estimate of the weed cover in the quadrat (weed cover).

The following assessments were conducted on the quadrat data collected for each transect:

- Species Richness (total number of perennial species) within each transect
- Species Diversity (Shannon diversity index (H)) within each transect
- Plant Density (total number of perennial plants) within each transect
- Vegetation Cover (percentage of live perennial foliage) within each transect



- Relative Weed Cover (percentage of weed foliage¹/total foliage cover X100) within each transect
- Weed cover (total percentage of foliage) for Weeds of National Environmental Significance (WONS) listed by the Department of Agriculture, Water and the Environment (DAWE, 2022) and Declared Plants listed by Department of Primary Industries and Regional Development (DPIRD, 2020) within each transect.

Annuals/ short-lived species and weed species were excluded from the biodiversity assessments (richness, diversity, density and vegetation cover).

Completion criteria has been taken from the EMO Offset Rehabilitation Plan 2020 – 2022 (2019) (Table 4). Completion criteria based on the minimum biodiversity and landscape function (critical threshold as described by Tongway & Hindley (2003) based on three successive years of monitoring data) at which a landform is self-sustaining (Beyond the critical threshold, the ecosystem becomes increasingly more self-sustaining and able to survive stress and disturbance, both natural and human induced the ecosystem becomes increasingly more self-sustaining and able to survive stress and disturbance, both natural and human induced (Tongway, & Hindley 2003). Results will be compared against analogue site/s to ensure target biodiversity values are representative of the natural environment and consistent with the Westonia Common.

Completion criteria targets for weed coverage are based on published literature which suggests that weed cover (non-naturalised weeds) exceeding 40% impedes native vegetation growth. Target has been set at lower threshold to ensure weeds identified/ managed before native vegetation impacts occur (<20% target for weeds not listed as WONS or Declared Plants; 0% target for weeds listed as WONS or Declared Plants).

The completion criteria targets were modified in the 2020-2022 Offset Rehabilitation Plan and are different to what has been presented in previous reports. Therefore, all previous years monitoring assessments can be found in Appendix C.

**Table 4: Completion Criteria Targets** 

Completion Criteria	Completion Criteria Target
Species Richness (400 m²)	>80% of the analogue mean
Plant Density (plants/ha)	50% of the analogue mean
Vegetation Cover (%)	50% of the analogue mean
Weeds of National Environmental Significance (%)	<0%
Declared Plants (%)	<0%
Relative Weed Cover <sup>3</sup> (%)	<20% of the analogue mean

-

<sup>&</sup>lt;sup>1</sup> Relative weed cover calculated for all weeds not listed as WONS or Declared Plants. Much of the weed cover was dry/ dying off at the time of assessment (summer) however distinction between live and dead weed foliage was not possible. As a result, the total coverage was recorded which provides a conservative/ over-estimation of the actual weed cover. Further monitoring in cooler climatic conditions (winter) will determine whether weeds have persisted.



## 2.1 Analogue Site Selection

The analogue sites were selected to represent native vegetation in close proximity to the rehabilitated areas that the rehabilitated areas could be expected to return to. The analogue sites were selected to replicate the species composition, biodiversity, and landscape function that probably existed at the site before mining disturbance. The analogue sites are within the Baladjie and Holleton landscape systems. There are four of the rehabilitated sites within the Baladjie system.

The rehabilitation transect monitoring results are compared against the analogue transect monitoring results to confirm that target biodiversity and landscape function values of the rehabilitation sites are comparative to the surrounding natural landscape.



## 3 RESULTS

# 3.1 Vegetation Monitoring

The total species list for the 2022 monitoring (including annuals/short-lived species and weed species excluded from the analysis) is provided in Appendix A. Photographic monitoring records for each transect is provided in Appendix B. The 2017-2022 results for each transect are summarised in Table 5.

No Weeds of National Significance or Declared plants have been recorded at any of the sites during the previous monitoring, and this data is not presented in this table.



Table 5: Monitoring Results Summary 2017-2022

Site	Site		s	pecies	Richnes	ss			Pl	lant Dei	nsity (m	l²)			Ve	getatio	n Cover	· %			Relat	ive We	ed Cove	er (%)	
		2017	2018	2019	2020	2021	2022	2017	2018	2019	2020	2021	2022	2017	2018	2019	2020	2021	2022	2017	2018	2019	2020	2021	2022
Site 1	T1	15	16	16	10	7	8	1.9	2.1	2.1	1.7	1.2	1.4	35	40	40	40	68.5	73	28	7	0	0	9	6.3
Site 2	T2	8	4	4	4	4	5	0.5	0.2	0.2	0.2	0.2	0.3	5	10	10	10	16	24.5	82	89	45	10	50	60
Site 3	Т3	10	10	9	7	11	10	1.0	0.8	0.7	0.5	0.8	0.8	15	15	15	15	63	56	50	60	0	0	28	26.1
Site 4	T4	8	5	6	5	6	6	1.1	0.7	0.7	0.7	0.7	0.7	15	10	20	30	34	35.5	20	54	51	30	14	12.8
Site 5	T5	7	5	7	7	6	5	0.5	0.2	0.3	0.3	0.3	0.2	10	10	10	10	18	20.5	2	89	0	20	74	65.7
Site 6	T6	12	10	10	10	9	9	1.2	1.0	1.2	1.2	1.1	1.4	18	10	10	20	39	40.5	28	40	0	5	50	46.1
Site 7	<b>T</b> 7					2	2					0.1	0.1					0.5	1					99	98.9
Site 7	T8					1	2					0.0	0.1					0	1					99	99
	Т9				5	9	7				1.8	2.3	2.6				10	25	24				20	59	59.7
SLP	T10				3	8	7				0.8	1.4	2.0				10	20	19.5				10	62	64.9
<b>0</b> 2.	T11					2	2					0.2	0.4					1.5	20.5					97	82.1
	T12					3	2					0.2	0.2					3	5					71	92.2
Warra Rd	T13						3						3.0						5						1.92
A1T1	A1	11	11	11	6	12	10	4.4	5.0	2.2	0.4	3.6	5.4	50	50	50	50	56	67	0	0	0	0	0	0
A1T2	A2	14	12	12	6	9	10	2.8	2.5	1.4	0.4	1.8	2.2	80	70	70	65	67	67.5	0	0	0	0	0	0
A2T1	A3	7	6	6	6	7	7	2.8	2.4	0.2	1.9	1.8	1.7	100	100	100	100	84	76.5	0	0	0	0	0	0
A2T2	A4	6	6	6	5	5	5	1.4	1.9	1.7	1.3	1.0	0.9	75	70	70	70	37	37.5	0	0	0	0	0	0
A3aT1	A5				3	7	7				1.6	1.6	3.0				75	51	53.5				0	0	0
A3aT2	A6				4	8	7				2.0	3.4	5.0				80	71	91				0	0	0
Mean Analogue		9	8	8	5	8	8	3.8	2.9	1.6	1.3	2.2	3.0	70	67	67	73	61	66	0	0	0	0	0	0



#### 3.1.1 Completion Criteria Assessment

An assessment of the rehabilitation sites against completion criteria targets is provided in Table 6. Completion criteria has been taken from the EMO Offset Rehabilitation Plan 2020 – 2022 (2019). All previous years monitoring assessments can be found in Appendix C.

The plant density (m²) met the completion criteria at three sites. Species richness (25m²) met the completion criteria at eight sites, this had increased from five sites in 2021. Vegetation cover (%) completion criteria was met at four sites. No sites met completion criteria for relative weed cover, this is due to the analogue sites having no weeds present, however no WoNS or declared plants were present so they met these criteria.

Overall, the assessments against completion criteria have been consistent for the five years of monitoring, with each site not varying greatly. However, the rehabilitation at the farmlands sites north of the Edna May operations has consistently rated better than the Slippery's Paddock rehabilitation (Appendix C).

Table 6: Assessment of rehabilitation sites against completion criteria for 2022 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
	=	1.5	4	33	0	0%	0%
2015 Rehabilitation	T1	1.4	8	73	6.3	0	0
2013 Keliabilitation	T5	0.2	5	20.5	65.7	0	0
	T2	0.3	5	24.5	60	0	0
2016 Rehabilitation	Т3	0.8	10	56	26.1	0	0
2016 Kenabilitation	T4	0.7	6	35.5	12.8	0	0
	Т6	1.4	9	40.5	46	0	0
2021 Rehabilitation	T7	0.1	2	1	99	0	0
2021 Kenabilitation	T8	0.1	2	1	99	0	0
	Т9	2.6	7	24	60	0	0
2020 Rehabilitation	T10	2	7	19.5	65	0	0
2020 Kenabilitation	T11	0.4	2	20.5	82	0	0
	T12	0.2	2	5	92	0	0
2022 Rehabilitation	T13	3.0	3	5	1.92	0	0

Green shading = site has met completion criteria target; Red shading = did not meet completion criteria target.



#### 3.1.2 2015 Rehabilitation

In 2022, a total of 22 taxa were recorded within the transects in the 2015 rehabilitated areas (T1 and T5). 18 of these 22 taxa were native plants, including three species of native annuals. Four weed species were present, this had increased from three weed species present in 2021.

Species richness and plant density had decreased slightly from previous years (Figure 4).

Vegetation cover has increased since previous years, but so too has weed cover (Figure 5).

T1 met the completion criteria target for species richness (25m²) and vegetation cover (%). T5 met the completion criteria target for species richness (25m²). All sites met the completion criteria targets for not having any WoNS or declared plants present (Table 7).

Weed cover was 6% at T1 and 66% at T5, these had decreased from 2021 results. A daisy, *Oncosiphon piluliferum* was a dominant weed at T5, with a weedy grass also dominant at T5, this is evident in the photo at Figure 6. No WoNS or declared plants were present at these sites.




Figure 4: Mean species richness and total plant density of 2015 Rehabilitation sites




Figure 5: Mean vegetation cover and relative weed cover (%) of 2015 Rehabilitation sites



Table 7: Assessment of 2015 rehabilitation sites against completion criteria for 2022 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
	=	1.5	4	33	0	0%	0%
2015 Debebilitation	T1	1.4	8	73	6.3	0	0
2015 Rehabilitation	T5	0.2	5	20.5	65.7	0	0



Figure 6: 2022 photos of transects T1 (left) and T5 (right)



#### 3.1.3 2016 Rehabilitation

In 2022, a total of 21 taxa were recorded within the four transects in the 2016 rehabilitated areas (T2, T3, T4 and T6). 15 of these 21 taxa were native plants, and six weed species were present. The Threatened flora *Eremophila resinosa* was present at T2 and T3.

Mean species richness had decreased slightly from 2021 and plant density had increased slightly from previous years (Figure 7). Vegetation cover has increased slightly since 2021, and so too has weed cover (Figure 8).

No sites met the completion criteria target for plant density (m²). All sites met the completion criteria for species richness (25m²) and three sites met the vegetation cover (%) target. All sites met the completion criteria targets for not having any WoNS or declared plants present (Table 8).

A daisy, Globe chamomile (*Oncosiphon piluliferum*) was a weed that was present at all sites, but dominant at site T6 (Figure 10). Weedy grasses such as Ryegrass (*Lolium rigidum*) were present at sites T2, T3 and T4. No WoNS or declared plants were present at these sites.



Figure 7: Mean species richness and total plant density of 2016 Rehabilitation sites




Figure 8: Mean vegetation cover and relative weed cover (%) of 2016 Rehabilitation sites



Table 8: Assessment of 2016 rehabilitation sites against completion criteria for 2022 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
	=	1.5	4	33	0	0%	0%
	T2	0.3	5	24.5	60	0	0
2016 Dahahilitatian	Т3	0.8	10	56	26.1	0	0
2016 Rehabilitation	T4	0.7	6	35.5	12.8	0	0
	Т6	1.4	9	40.5	46.1	0	0



Figure 9: 2022 photos of transects T2 (left) and T3 (right)



Figure 10: 2022 photos of transects T4 (left) and T6 (right)



#### 3.1.4 2020 Slippery's Paddock Rehabilitation

In 2020, Slippery's Paddock transects were established and monitoring commenced at two sites (T9 and T10). In 2021 an additional two transects were added to the Slippery's Paddock rehabilitation (T11 and T12).

In 2022, a total of 20 taxa were recorded within the transects, ten of these were native plants, and ten weed species were present.

Species richness had decreased slightly from previous years and plant density had increased slightly (Figure 11).

Vegetation cover has increased since previous years, and so too has weed cover (Figure 12).

T9 and T10 met the completion criteria target for plant density (m²) and species richness (25m²). All sites met the completion criteria targets for not having any WoNS or declared plants present (Table 9).

Relative weed cover rated poorly for all sites. Ward's weed (*Carrichtera annua*) was a weed that was present at all sites. Iceplant (*Mesembryanthemum crystallinum*) was dominant at sites T9 and T10. Bearded oat (*Avena barbata*) was dominant at T11, and this is evident in the photo at Figure 14.




Figure 11: Mean species richness and total plant density of the Slippery's Paddock Rehabilitation






Figure 12: Mean vegetation cover and relative weed cover (%) of the Slippery's Paddock Rehabilitation sites

Table 9: Assessment of 2020 rehabilitation sites against completion criteria for 2022 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
	=	1.5	4	33	0	0%	0%
	Т9	2.6	7	24	59.7	0	0
2020 Rehabilitation	T10	2.0	7	19.5	64.9	0	0
2020 Renabilitation	T11	0.4	2	20.5	82.1	0	0
	T12	0.2	2	5	92.2	0	0



Figure 13: 2022 photos of transects T9 (left) and T10 (right)





Figure 14: 2022 photos of transects T11 (left) and T12 (right)

#### 3.1.5 2021 Rehabilitation

Approximately 62 ha was rehabilitated in 2021 and two sites were established here during the 2021 monitoring (T7 and T8). Results against completion criteria are presented in Table 10: All measures rated poorly, and weed presence was high (Figure 15), however no WoNS or declared plants were recorded.

Table 10: Assessment of 2021 rehabilitation sites against completion criteria for 2022 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
	=	1.5	4	33	0	0%	0%
2021 Rehabilitation	T7	0.1	2	1	98.9	0	0
2021 Kenabilitation	Т8	0.1	2	1	99	0	0



Figure 15: 2022 photos of transects T7 (left) and T8 (right)



## 3.1.6 2022 (Warrachuppin Road) Rehabilitation

Approximately 1.06 ha was rehabilitated in 2022 and one new site was established here during the 2022 monitoring (T13). Results against completion criteria are presented in Table 11. The site met the completion criteria target for plant density, however these numbers were high due to the presence of more than 60 Acacia seedlings. Weed presence was low (Figure 16), and no WoNS or declared plants were recorded.

Table 11: Assessment of the Warrachuppin Road rehabilitation site against completion criteria for 2022 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (3.0)	>80% of the analogue mean (8)	50% of the analogue mean (66)	<20% of the analogue mean (0)	0%	0%
·	=	1.5	4	33	0	0%	0%
Warrachuppin Road	T13	3.0	3	5	1.92	0	0



Figure 16: 2022 photo of transect T13



## 4 DISCUSSION

Vegetation cover and plant density criteria have not yet been met for the majority of rehabilitated sites; however, given the rehabilitation is at an early stage of development (less than eight years old) this result is not unexpected when compared to the very mature and stable environments of the analogue sites.

The plant density (m²) results met the completion criteria at three sites, this was down from four sites in 2021. Species richness (25m²) met the completion criteria at eight sites, this had increased from five sites in 2021. Four sites met the completion criteria for vegetation cover (%) and this was the same as 2021. No sites met completion criteria for relative weed cover, this is due to the analogue sites having no weeds present, however no WoNS or declared plants were present so they met these criteria.

Overall, the assessments against completion criteria have been consistent for the six years of monitoring, with each site not varying greatly. However, the rehabilitation at the farmlands sites north of the Edna May operations has consistently rated better than the Slippery's Paddock rehabilitation, this is not unexpected given the Slippery's Paddock rehabilitation is four to five years younger (Appendix C).

Weed presence and density (none of which were listed as WONS or Declared Plants) of the rehabilitated sites had remained stable since 2021 and this could be the result of good rainfall for both 2021 and 2022. It is likely many of the weeds present are being blown in from seed from surrounding farms and will be difficult to manage in the long term, until more native plants establish and increase in vegetation cover. Given the current cover of weeds at all sites, continued weed management is advised.

Emergent Eucalypts identified in the first year of monitoring (2017) at the farmlands sites have continued to show good growth over the past 12 months and were in a healthy condition, yet were sterile and could not be identified to species level. Other chenopod species that were present at the analogue sites are consistently occurring and recolonising the rehabilitation sites.



## 5 BIBLIOGRAPHY

Beard, J.S., (1990). Plant Life of Western Australia, Kangaroo Press Pty Ltd, NSW.

Beecham (2001), A Biodiversity Audit of Western Australia's 53 Biogeographical Region in 2001-Avon Wheatbelt Region (AW1 Merredin Subregion), Department of Conservation and Land Management.

Botanica Consulting (BC) (2018). Reconnaissance Flora and Vegetation Survey Greenfinch Project. Prepared for Ramelius Resource Pty Ltd. January 2019.

Bureau of Meteorology (BOM) (2023). *Climate information for Westonia Weather Station*. Available WWW: http://www.bom.gov.au/climate/data/.

DAWE (2022). Pest Animals and Weeds in Australia. Available WWW: https://www.awe.gov.au/biosecurity-trade/pests-diseases-weeds/pest-animals-and-weeds

DPIRD (2020). *Declared Organism database search*, Department of Primary Industries and Regional Development, Western Australia. Available: http://www.biosecurity.wa.gov.au/

EMO (2021). *Edna May Operation Mine Closure Plan*. Prepared by Botanica Consulting for Edna May Operations.

McKenzie, N. L., May, J. E. and McKenna, S. (2002). Bioregional summary of the 2002 biodiversity audit for Western Australia. Department of Conservation and Land Management.

MWH Australia Pty Ltd (2014). Evolution Mining Edna May and Greenfinch Project: Level 2 Flora and Vegetation Assessment.

Payne, A.L., Mitchell, A.A. and Hennig, P. (1998). Land Systems of the Kambalda Area and Surrounds. Report prepared for Western Mining Corporation Resources Ltd. Agriculture Western Australia, July 1998.

Phoenix (2016). Flora and vegetation survey for the Edna May Greenfinch Project. Prepared for Evolution Mining Ltd by Phoenix Environmental Sciences Pty Ltd. August 2016.

Phoenix (2017). Targeted *Eremophila resinosa* survey of the Edna May Gold Project. Phoenix Environmental Sciences Pty Ltd, Balcatta, WA. Unpublished report prepared for Evolution Mining Ltd.

Ramelius Resources (2019). Edna May Operations Offset Rehabilitation Plan 2020-2022.

Ramelius Resources (2021). Edna May Operations: *Eremophila resinosa* translocation sites, 2020 Report. January 2021.

Ramelius Resources (2023). *ASX Release*. Available WWW: <a href="https://www.rameliusresources.com.au/wp-content/uploads/bsk-pdf-manager/2023/01/Confirmation-of-Release-Edna-May-Stage-3-PFS-Update.pdf">https://www.rameliusresources.com.au/wp-content/uploads/bsk-pdf-manager/2023/01/Confirmation-of-Release-Edna-May-Stage-3-PFS-Update.pdf</a>



Tongway, D and Hindley, N (2003). *Landscape Function Analysis: Procedures for Monitoring and Assessing Landscapes, with special reference to Mine sites and Rangelands.* CSIRO Sustainable Ecosystems, Canberra. Updated February 2005.



# Appendix A: Species list

 $^{\star}$ Green shading indicates weed species; blue shading indicates annual species; red shading indicates Threatened flora.


*Green shading indica																																						
	Sit			te 2		ite 3		ite 4		te 5		te 6			te 7				s	lippery's	Paddoo	:k			Warr	a Rd		Analo					ogue 2			Analog		
Taxon	No.	1 %	No.	Γ2 %	No.	T3 %	No.	T4 %	No.	Γ5 %	No.	Γ <b>6</b> %	No.	7 %	No.	Γ8 %	T No.	10 %	No.	9 %	T <sup>r</sup> No.	11 %	T1 No.	%	T1 No.	13 %	No.	\1   %	No.	.2 %	No.	\3 \	No.	4 %	A5 No.	5 %	No.	6 %
	plant	Cove	plant	Cove	plant	Cove	plant		plant	Cove	plant	Cove	plant	Cove	plant		plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove
Avena barbata (W)	S	r	S		S		2	0.5	S	r	S		S	r	S		8	1	8 8	1	s 600	80	30	10	S		S		S	r	S		S	r	S	r	S	
Brassica tournefortii (W)			17	1	15	0.5	4	0.5					2	2	1	0.5																						
*Carrichtera annua			100	20	20	1					20	2					20	4	200	25	F0	40	200	20			2	<1										
(W) Centaurea																	20	4	200	25	50	10	260	20														
melitensis (W) *Chenopodium alb																			4	0.5	200	8	40	8														
um (W)																	6	2	40	1			2	4														
Cucumis myriocarpus (W)																					1	0.5																
Lolium rigidum (W) *Mesembryanthem	27	1	45	10	20	2	36	4	5	12			400	65	100	65			12	1			10	1														
um crystallinum																																						
(W) *Oncosiphon			110		400	45	40	+ ,	4.40		0.40		400	05	1.10		200	15	160	15																		
piluliferum (W)			110	20	120	15	40	1	140	30	240	30	130	25	140	30	10	2																				
Poaceae sp wheat (W)					3	2			150	3	30	3			2	1	100	12					200	20	1	0.1			12	<1								
Sonchus asper (W)	45	4							2	<1			13	1	7	0.5	4	1	50				110	8														
Acacia ?coolgardiensis	3	10																																				
Acacia acuminata	10	20			1	1	1	<1 0.5			1	0.5			_												1	10					<u> </u>					
Acacia colletioides Acacia hemiteles	6 1	3			4	0.5 10	4	6			2	0.5																								$\rightarrow$		
Acacia merrallii		_	1	4	5	16	7	20			2	3																	1	3								
Acacia microbotrya Acacia murryana	1	5			2	8																														$\rightarrow$		
Acacia spp.																	3	4							69	1.1												
Acacia steedmanii Allocasuarina	4	10						+							-																							
campestris	8	20																																				
Aristida contorta (A)	4	0.5																																				
Atriplex amnicola									1	3																												
Atriplex nummularia									1	6																												
Atriplex semibaccata (A)																									1	0.5												
Atriplex vesicaria											8	10			1	0.5									'	0.0					20	20	6	4			1	1
Austrostipa elegantissima																											6	1	1	1					2	<1		
Austrostipa nitida			3	<1							10	1					6	1	4	0.5							66	8	8	<1							2	
Enchylaena tomentosa					1	1																													1	1	2	6
Eremophila																											1	3										-
decipiens Eremophila															+														4	3			3	2	1	5		
ionantha Eremophila			_				-	+	-						-														7	J		-	3		'			-
resinosa			2	8	1	4																																
Erodium sp. (sterile)															1	0.5																						
Eucalyptus ?salmonophloia			1	6	1	5	2	8																														
Eucalyptus			1	6	2	10		+	2	8	1	2			†																							
?salubris Eucalyptus			<u> </u>	+ -		.0		+	+ -	<del>                                     </del>	<u> </u>		-		+																	-			+	$\longrightarrow$		
?yilgarnensis											1	4																										
Eucalyptus Iongicornis																															2	50			2	30	3	30
Eucalyptus loxophleba subsp.	1	5																																				
lissophloia	<u>'</u>																																<u> </u>					
Eucalyptus salmonophloia																													1	10								
Eucalyptus salubris														^-			_				_					_	1	20	1	10								
Eucalyptus spp. Exocarpos										1			1	0.5	+		1	1	6	4	8	20	3	4	3	2				_								
aphyllus					4	1 05		1 0.5	<u> </u>	0.5	40	40	1				40										1	6	2	5	1	2						
Maireana brevifolia Maireana georgei					1	0.5	1	0.5	1	0.5	10	12	1	0.5	+		40 2	8	2	1											1	<1				$\rightarrow$		
Maireana																															6	1	6	<1	5	1	20	24
tomentosa		<u> </u>					1		1	1	<u> </u>	<u> </u>		<u> </u>	1			<u> </u>	2	1												<u> </u>		٠.	-			



	Sit	e 1	Sit	e 2	Sit	te 3	Sit	te 4	Site	e 5	Sit	e 6		Si	te 7				SI	lippery's	Paddoc	k			Warr	ra Rd		Analo	gue 1			Analo	gue 2			Analog	gue 3	
_	Т	1	Т	2	7	Г3	1	Г4	T:	5	Т	6	Т	7	1	Г8	т	10	T	9	T1	1	T1	12	<b>T</b> 1	13	Д	\1	А	.2	А	3	А	4	A	5	Αŧ	6
Taxon	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant	Cove	plant s	Cove	plant	Cove	plant	Cove	plant s	Cove	plant	Cove	plant	Cove	plant s	Cove	plant	Cove	plant s	Cove
Maireana	5	I	5		5	ı	5	I	5	·	5	ı	5	ı	5		5	ı	5	ľ	3	ľ	5	ı	5	ı			S	I	5	ı	5	ľ	00		- J	•
trichoptera																											24	8							23	6	64	15
Maireana sp 1																			5	1																		
Melaleuca									1	2	1	4																										
eleuterostachya Melaleuca							-	-							-														_				_					1
pauperiflora																													2	30			2	30				
Melaleuca spp.																	2	1	7	4	1	0.5	2	1	4	0.5												i
Olearia muelleri																											1	1										
Ptilotus exaltatus																									4	0.5	27	6	39	4					1	0.5		
(A) Ptilotus																									1	0.5												
polystachyus (A)	20	1																																				
Rhagodia																													2	1								
drummondii																														<u> </u>								
Rhodanthe sp (A)																									1	0.5	3	<1	24	4					2	-1		
Roepera sp (A) Salsola australis																																			3	<1		
(A)			94	10	22	2	50	6	48	3	8	0.5					10	1 1	20	4	8	1	10	1														
Sclerolaena																			_		-						26	4	32	4	11	1	6	1				1
diacantha							-	-							-												20		32		'''	'	0	'				
Sclerolaena uniflora									3	1							10	8	24	8															42	10	34	15
Senna																	10		27																	-		
artemisioides																											7	6										i
subsp. filifolia							-	-							-																							i
Templetonia ceracea																															1	2						i
Waitzia acuminata	2	0.4																																				
(A)		0.1																																				
Species richness	8		5		10		6		5		9		2		2		7		7		•						10		10		7		5		7		7	
(25m²) Plant Density																	/		- 1		2		2		3													
(25m²)	34		8		19		17		6		36		2		2		64		50		9		5		76		134		54		42		23		76		126	
Species Richness	0.32		0.2		0.4		0.24		0.2		0.36		0.08		0.08				2.22				2.00				0.4		0.4		0.28		0.2		0.28		0.28	
(1m²) Perennial Plant																	0.28		0.28		0.08		0.08		0.12													
Density (1m <sup>2</sup> )	1.36		0.32		0.76		0.68		0.24		1.44		0.08		0.08		2.56		2		0.36		0.2		3.04		5.36		2.16		1.68		0.92		3.04		5.04	
Total % Cover (excluding		73		24.5		56		35.5		20.5		40.5		1		1												67		67.5		76.5		37.5		53.5		91
weeds)		/3		24.5		36		33.3		20.5		40.5		'		'		24		19.5		20.5		5		5		07		67.5		76.5		37.3		55.5		91
Total % Cover		72		51		20.5		6		45.5		35		93		97												0.5		0.5		0		0		0		0
(weeds) Relative Cover of																		37		43.5		98.5		71		0.1												
weeds (%)		6.05		60		26.11		12.77		65.69		46.05		98.94		98.98		59.68		64.93		82.08		92.21		1.92		0		0		0		0		0		0



# Appendix B: Photographs of Transects





2017	2018	2019	2020	2021	2022
<u>x</u>					



	2017	2018	2019	2020	2021	2022
T9						
Т10						
T11						
Т12						



	2017	2018	2019	2020	2021	2022
T13						
A1	30,409/201					
A2	TR. JOSP 76					
A3						

APPENDICES



	2017	2018	2019	2020	2021	2022
A4						
i.	}		The original A5 was removed in 2020			
Ç			The original A6 was removed in 2020			



# Appendix C: Assessment of rehabilitation sites against completion criteria from 2017 to 2020

			2017						2018					2019						2020																							
Measure	Target	Rehabilitation Category		2015 Rehabilitation		2016 Rehabilitation			'n	2015 Rehabilitation		20	2016 Rehabilitation			20 Rehabi	15 litation	2016 Rehabilitation			2015 Rehabilitation		2016 Rehabilitation			١	Slippery's Paddock 2020 Rehabilitation																
measure	. a. got		Site 1	Site 5	Site 2	Site 3	Site 4	Site 6	Site 1	Site 5	Site 2	Site 3	Site 4	Site 6	Site 1	Site 5	Site 2	Site 3	Site 4	Site 6	Site 1	Site 5	Site 2	Site 3	Site 4	Site 6	SLP T1	SLP T2															
	≥2.4	Excellent			0.5	0.5																																					
Plant Density	≥1.2	Satisfactory	1.9	0.5			1	1.1	1.2	2.1	0.2	0.2	0.8	0.7	1	2.1	0.3	0.2	0.7	0.7	1.2	1.7	0.3	0.2	0.3	0.7	1.2	1.8	0.8														
(m²)	<1.2	Requires review	1.0				1.1	1.2	2.1	0.2	0.2	0.0	0.7				0.2	,	0.7	1.2	'''	0.5	0.2	0.0	0		1.0	0.0															
	≥1.4	Excellent																																									
Species	≥1.1	Satisfactory	2.3	1.6	2	2	2	2.2	1.9	2.2	2.4	1.6	1.3	2.2	1.4	2.1	2.4	2.1	1.3	1.3 2	1.5	.5 2.1	1.9	1.9	1.2	1.8	1.4	2.1	1.4	0.8													
Diversity Index	<1.1	Requires review						_		1.0																																	
	≥8	Excellent		7						5	4 10				16 7				6	10	10						5																
Species Richness	≥6	Satisfactory	15		8	10	8	12	16			10	10 5	10		7	4	9				7	4	7	5	10		3															
Richness	<6	Requires review																																									
	≥69	Excellent		10																				1 1																			
Vegetation	≥35	Satisfactory	35		5	15 19	15	18	40	10	10	15	10	10	40	10	10	15	5 20	10	40 1	10	10	15	30	20	10	10															
Cover (%)	<35	Requires review																																									
	0	Excellent	ry 28	28	_ 28	28	_ 28	28	28	28	28	28	28	28	28	28		80 8																									
Relative Weed Cover (%)	<20	Satisfactory															28		82	50	20	28	7	89	89	60	54	40	0	0	45	0	51	0	0 2	20	10	0	30	5	20	10	
COVEI (78)	>20	Requires review																																									
Weeds of	0	Excellent	0	0 0	0	0	0																																				
National Environmental	0	Satisfactory						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Significance (%)	>0	Requires review																					J	3					J														
	0	Excellent	0	0	0	0	0																																				
Declared	0	Satisfactory						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Plants (%)		Requires review										U		U					,			J	J		U	0																	

Prepared by Botanica Consulting



# Appendix D:Assessment of rehabilitation sites against completion criteria for 2021 monitoring

		Plant Density (m²)	Species Richness (25m²)	Vegetation Cover (%)	Relative Weed Cover (%)	Declared plants (%)	WoNS (%)
	Completion Criteria Target	50% of the analogue mean (2.2)	>80% of the analogue mean (8)	50% of the analogue mean (61)	<20% of the analogue mean (0)	0%	0%
	II	1.1	6.4	30.5	0	0%	0%
2015 Rehabilitation	T1	1.2	7	68.5	9	0	0
2015 Kenabilitation	T5	0.3	6	18	74	0	0
	T2	0.2	4	16	50	0	0
2016 Dahahilitatian	Т3	0.8	11	63	28	0	0
2016 Rehabilitation	T4	0.7	6	34	14	0	0
	Т6	1.1	9	39	50	0	0
2024 Dalabilitatian	T7	0.1	2	0.5	99	0	0
2021 Rehabilitation	Т8	0	1	0	99	0	0
	Т9	2.3	9	25	59	0	0
2020 Dahahilitatian	T10	1.4	8	20	62	0	0
2020 Rehabilitation	T11	0.2	2	1.5	97	0	0
	T12	0.2	3	3	71	0	0

Green shading = site has met completion criteria target; Red shading = did not meet completion criteria target.

